

Schriftenverzeichnis

List of publications

Peter B. Becker

- 192 Schneider MF, Müller V, Müller SA, Lichtenthaler SF, Becker PB, Scheuermann JC (2022)
LncRNA RUS shapes the gene expression program towards neurogenesis.
Life Sci Alliance 5: e202201504.
- 191 Eggers N, Becker PB (2021)
Cell-free genomics reveal intrinsic, cooperative and competitive determinants of chromatin interactions
Nucleic Acids Research 49, 7602-7617
- 190 Villa R, Jagtap PKA, Thomae AW, Campos Sparr A, Forné I, Hennig J, Straub T, Becker PB.
(2021)
Divergent evolution toward sex chromosome-specific gene regulation in *Drosophila*.
Genes & Development 35, 1055-1070.
- 189 Müller M, Schauer T, Becker PB (2021)
Identification of Intrinsic RNA Binding Specificity of Purified Proteins by in vitro RNA
Immunoprecipitation (vitRIP)
BioProtocols 11, e3946.
- 188 Scacchetti A, Becker PB (2020)
Variation on a theme: Evolutionary strategies for H2A.Z exchange by SWR1-type remodelers.
Curr Opin Cell Biol. 70, 1-9.
- 187 Scacchetti A, Becker PB (2020)
Loss of nucleosome remodelers CHRAC/ACF does not sensitize early *Drosophila* embryos to X-rays.
MicroPubl Biol 000287.
- 186 Müller M, Schauer T, Krause S, Villa R, Thomae AW, Becker PB (2020)
Two-step mechanism for selective incorporation of lncRNA into a chromatin modifier.
Nucleic Acids Research 48, 7483-7501.
- 185 Scacchetti A, Schauer T, Reim A, Apostolou Z, Campos Sparr A, Krause S, Heun P, Wierer M, Becker PB (2020)
Drosophila SWR1 and NuA4 complexes are defined by DOMINO isoforms.
Elife 9, e56325.
- 184 Baldi S, Korber P, Becker PB (2020)
Beads on a string-nucleosome array arrangements and folding of the chromatin fiber.
Nature Struct Mol Biol. 27, 109-118.
- 183 Albig C, Wang C, Dann GP, Wojcik F, Schauer T, Krause S, Maenner S, Cai W, Li Y, Girton J, Muir TW, Johansen J, Johansen KM, Becker PB[#], Regnard C[#] (2019)
JASPer controls interphase histone H3S10 phosphorylation by chromosomal kinase JIL-1 in *Drosophila*.
Nature Communications 10, 5343.

* no peer review

[#] (joint) corresponding author

- 182 Prayitno K, Schauer T, Regnard C, Becker PB (2019)
Progressive dosage compensation during Drosophila embryogenesis is reflected by gene arrangement.
EMBO Reports 8, e48138.
- 181 Harpprecht L, Baldi S, Schauer T, Schmidt A, Bange T, Robles MS, Kremmer E, Imhof A, Becker PB (2019)
A Drosophila cell-free system that senses DNA breaks and triggers phosphorylation signalling.
Nucleic Acids Research 47, 7444-7459.
- 180 Ankush Jagtap PK, Müller M, Masiewicz P, von Bülow S, Hollmann NM, Chen PC, Simon B, Thomae AW, Becker PB, Hennig J. (2019)
Structure, dynamics and roX2-lncRNA binding of tandem double-stranded RNA binding domains dsRBD1,2 of Drosophila helicase Maleless.
Nucleic Acids Research 47, 4319-4333.
- 179 Albig C, Tikhonova E, Krause S, Maksimenko O, Regnard C[#], Becker PB[#] (2019)
Factor cooperation for chromosome discrimination in Drosophila.
Nucleic Acids Research 47, 1706-1724.
- 178 Baldi S, Jain DS, Harpprecht L, Zabel A, Scheibe M, Butter F, Straub T[#], Becker PB[#] (2018)
Genome-wide Rules of Nucleosome Phasing in Drosophila.
Molecular Cell 72, 661-672.
- 177 Baldi S, Krebs S, Blum H, Becker PB (2018)
Genome-wide measurement of local nucleosome array regularity and spacing by nanopore sequencing.
Nature Struct Mol Biol. 25, 894-901.
- 176 Scacchetti A, Brueckner L, Jain D, Schauer T, Zhang X, Schnorrer F, van Steensel B, Straub T, Becker PB (2018)
CHRAC/ACF contribute to the repressive ground state of chromatin.
Life Science Alliance 1, e201800024.
- 175 Schauer T, Ghavi-Helm Y, Sexton T, Albig C, Regnard C, Cavalli G, Furlong EE, Becker PB (2017)
Chromosome topology guides the Drosophila Dosage Compensation Complex for target gene activation.
EMBO Reports 18, 1854-68.
- 174 Schunter S, Villa R, Flynn V, Heidelberger JB, Classen AK, Beli P, Becker PB (2017)
Ubiquitylation of the acetyltransferase MOF in Drosophila melanogaster.
PLoS One 12: e0177408.
- 173 Villa R, Schauer T, Smialowski P, Straub T[#], Becker PB[#] (2016)
PionX sites mark the X chromosome for dosage compensation.
Nature 537, 244-248.
- 172 Börner K, Becker PB (2016)
Splice variants of the SWR1-type nucleosome remodeling factor Domino have distinct functions during Drosophila melanogaster oogenesis.
Development 143, 3154-67.

* no peer review

[#] (joint) corresponding author

- 171 Moritz B, Woltering L, Becker PB, Göpfert U (2016)
High levels of histone H3 acetylation at the CMV promoter are predictive of stable expression in Chinese hamster ovary cells.
Biotechnol Prog. 3,776-86.
- 170 Blasi T, Feller C, Feigelman J, Hasenauer J, Imhof A, Theis FJ, Becker PB, Marr C (2016)
Combinatorial Histone Acetylation Patterns Are Generated by Motif-Specific Reactions.
Cell Systems 2, 49-58.
- 169 Börner K, Jain D, Vazquez-Pianzola P, Vengadasalam S, Steffen N, Fyodorov DV, Tomancak P, Konev A, Suter B, Becker PB (2016)
A role for tuned levels of nucleosome remodeler subunit ACF1 during Drosophila oogenesis.
Developmental Biol. 411, 217-230.
- 168 Peleg S, Feller C, Forne I, Schiller E, Sévin DC, Schauer T, Regnard C, Straub T, Prestel M, Klima C, Schmitt Nogueira M, Becker L, Klopstock T, Sauer U, Becker PB, Imhof A, Ladurner AG. (2016)
Life span extension by targeting a link between metabolism and histone acetylation in Drosophila.
EMBO Reports 17, 455-69.
- 167 Moritz B, Becker PB, Göpfert U (2015)
CMV promoter mutants with a reduced propensity to productivity loss in CHO cells.
Sci Reports 5,16952
- 166 Prabu JR, Müller M, Thomae AW, Schüssler S, Bonneau F, Becker PB[#], Conti E[#] (2015)
Structure of the RNA Helicase MLE Reveals the Molecular Mechanisms for Uridine Specificity and RNA-ATP Coupling.
Molecular Cell 60, 487-99.
- 165 Schram RD, Klinker H, Becker PB, Schiessel H (2015)
Computational study of remodeling in a nucleosomal array.
Eur Phys J E Soft Matter 38, 85.
- 164 Jain D, Baldi S, Zabel A, Straub T, Becker PB (2015)
Active promoters give rise to false positive 'Phantom Peaks' in ChIP-seq experiments.
Nucleic Acids Research 43, 6959-68
- 163 Sandaltzopoulos R, Becker PB (2015)*
Beads-on-a-string on a bead: reconstitution and analysis of chromatin on a solid support.
Methods Mol Biol. 1288:1-14.
- 162 Feller C, Forné I, Imhof A, Becker PB (2015)
Global and specific responses of the histone acetylome to systematic perturbation.
Molecular Cell 57, 559-571
- 161 Zheng S, Villa R, Wang J, Feng Y, Wang J, Becker PB, Ye K (2014)
Structural basis of X chromosome DNA recognition by the MSL2 CXC domain during Drosophila dosage compensation.
Genes & Development 28, 2652-2662.

* no peer review

(joint) corresponding author

- 160 Militti C, Maenner S, Becker PB, Gebauer F (2014)
UNR facilitates the interaction of MLE with the lncRNA roX2 during Drosophila dosage compensation.
Nature Commun. 5,4762-4769.
- 159 Klinker H, Haas C, Harrer N, Becker PB, Mueller-Planitz F (2014)
Rapid purification of recombinant histones.
PLOS One 9, e104029.
- 158 Mathew V, Pauleau AL, Steffen N, Bergner A, Becker PB, Erhardt S (2014)
The histone-fold protein CHRAC14 influences chromatin composition in response to DNA damage.
Cell Reports 7, 321-330.
- 157 Klinker H, Müller-Planitz F, Yang R, Forné I, Liu CF, Nordenskiöld L, Becker PB (2014)
ISWI Remodelling of Physiological Chromatin Fibres Acetylated at Lysine 16 of Histone H4
PLOS One 9, e88411.
- 156 Müller-Planitz F, Klinker H, Becker PB (2013)
Nucleosome sliding mechanisms: new twist in a looped history
Nature Struct Mol Biol. 20, 1026 – 1032.
- 155 Becker PB, Workman JL (2013)
Nucleosome Remodeling and Epigenetics.
Cold Spring Harbor Perspect. 5
- 154 Maenner S, Müller, M, Fröhlich J, Langer D, Becker PB (2013)
ATP-dependent roX RNA remodeling by the helicase maleless enables specific association of MSL proteins.
Molecular Cell 51, 174 – 184.
- 153 Straub T, Becker PB (2013)
Comment on “Drosophila Compensation Involves Enhanced Pol II Recruitment to Male X-Linked Promoters”.
Science 340, 273.
- 152 Baldi S, Becker PB (2013)
The variant histone H2A.V of Drosophila-three roles, two guises.
Chromosoma 122, 245-258.
- 151 Straub T, Zabel A, Gilfillan GD, Feller C, Becker PB (2013)
Different chromatin interfaces of the Drosophila dosage compensation complex revealed by high-shear ChIP-seq.
Genome Research 23, 473-85.
- 150 Mueller-Planitz F, Klinker H, Ludwigsen J, Becker PB (2013)
The ATPase domain of ISWI is an autonomous nucleosome remodeling machine.
Nature Struct Mol Biol. 20, 82-89.
- 149 Becker PB (2012)*
Nucleosome remodeling and epigenome diversification. In “Epigenetics, Brain and Behavior”.
Sassone-Corsi P, Christen Y (eds), 1-10, Springer Verlag, Heidelberg.

* no peer review

(joint) corresponding author

- 148 Villa R, Forné I, Müller M, Imhof A, Straub T, Becker PB (2012)
MSL2 Combines Sensor and Effector Functions in Homeostatic Control of the Drosophila Dosage Compensation Machinery.
Molecular Cell 48, 647-654
- 147 Eckey M, Kuphal S, Straub T, Rümmele P, Kremmer E, Bosserhoff AK, Becker PB (2012)
Nucleosome Remodeler SNF2L Suppresses Cell Proliferation and Migration and Attenuates Wnt Signaling.
Mol Cell Biol. 32, 2359-2371.
- 146 Maenner S, Müller M, Becker PB (2012)*
Roles of long, non-coding RNA in chromosome-wide transcription regulation: Lessons from two dosage compensation systems.
Biochimie 94,1490-1498.
- 145 Forné I, Ludwigsen J, Imhof A, Becker PB, Müller-Planitz F (2012)
Probing the confirmation of the ISWI ATPase domain with genetically encoded photoreactive crosslinkers and mass spectrometry.
Mol Cell Proteomics 11, M111.012088.
- 144 Feller C, Prestel M, Hartmann H, Straub T, Söding J, Becker PB (2012)
The MOF-containing NSL complex associates globally with housekeeping genes, but activates only a defined subset.
Nucleic Acids Research 40, 1509-1522.
- 143 Maier VK, Becker PB (2012)
A Defined In Vitro System to Study ATP-Dependent Remodeling of Short Chromatin Fibers.
Methods Mol Biol. 833, 255-270.
- 142 Sánchez-Molina S, Mortusewicz O, Bieber B, Auer S, Eckey M, Leonhardt H, Friedl AA, Becker PB (2011)
Role for hACF1 in the G2/M damage checkpoint.
Nucleic Acids Research 39, 8445-8456.
- 141 Straub T, Becker PB (2011)
Transcription modulation chromosome-wide: universal features and principles of dosage compensation in worms and flies.
Current Opinion in Genetics & Development 21, 147-153.
- 140 Regnard C, Straub T, Mitterweger A, Becker PB (2011)
Jil1 kinase reinforces rather than establishes active chromatin.
PLOS Genetics 7, e1001327.
- 139 Prestel M, Feller C, Becker PB (2010)
Dosage compensation and the global re-balancing of aneuploid genomes.
Genome Biology 11, 216.
- 138 Chioda M, Vengadasalam S, Kremmer E, Eberharter A, Becker PB (2010)
Developmental role for dACF1-containing nucleosome remodelers in chromatin organisation.
Development 137, 3513-3522.

* no peer review

(joint) corresponding author

- 137 Korber P, Becker PB (2010)
Nucleosome dynamics and epigenetic stability.
Essays in Biochemistry 48, 63-74.
- 136 Grimaud C, Becker PB (2010)
Form and function of dosage-compensated chromosomes – a chicken-and-egg relationship.
BioEssays 32, 709-717.
- 135 Boeke J, Regnar, C, Cai W, Johansen J, Johansen K., Becker PB, Imhof A (2010)
Phosphorylation of SU(VAR)3-9 by the chromosomal kinase JIL-1.
PlosONE, e10042.
- 134 Prestel M, Feller C, Straub T, Mitlöhner H, Becker PB (2010)
The activation potential of MOF is constrained for dosage compensation.
Molecular Cell 38, 815-826.
- 133 Chioda M, Becker PB (2010)
Soft skills turned into hard facts: nucleosome remodelling at developmental switches.
Heredity 105, 71-79.
- 132 Fauth T, Mueller-Planitz F, König C, Straub T, Becker PB (2010)
The DNA binding CXC domain of MSL2 is required for faithful targeting the Dosage Compensation Complex to the X chromosome.
Nucleic Acids Research 38, 3209-3221.
- 131 Grimaud C, Becker PB (2009)
The dosage compensation complex shapes the conformation of the X chromosome in *Drosophila*.
Genes & Development 23, 2490-2495.
- 130 Siriaco G, Deuring R, Chioda M, Becker PB, Tamkun J (2009)
Drosophila ISWI regulates the association of histone H1 with interphase chromosomes in vivo.
Genetics 182, 661-669.
- 129 Bartkuhn M, Straub T, Herold M, Herrmann M, Rathke C, Saumweber H, Gilfillan GD, Becker PB, Renkawitz R (2009)
Active promoters and insulators are marked by centrosomal protein 190.
EMBO J 28, 877-888.
- 128 Straub T, Grimaud C, Gilfillan GD, Mitterweger A, Becker PB (2008)
The chromosomal high affinity sites for the *Drosophila* dosage compensation complex.
PLOS Genet 4, e 1000302.
- 127 Bonaldi T, Straub T, Kumar C, Cox J, Becker PB, Mann M (2008)
Combined use of RNAi and quantitative proteomics to study gene function in *Drosophila*.
Molecular Cell 31, 762 – 772.

* no peer review

(joint) corresponding author

- 126 Straub T, Becker PB (2008)
DNA sequence and the organization of chromosomal domains.
Curr Op Genet Dev 18, 175-180.
- 125 Maier VK, Chioda M, Becker PB (2008)
ATP-dependent chromatosome remodelling.
Biol Chem 389, 345-352.
- 124 Izzo A, Regnard C, Morales V, Kremmer E, Becker PB (2008)
Structure-function analysis of the RNA helicase maleless.
Nucleic Acids Research 36, 950-962.
- 123 Maier VK, Chioda M, Rhodes D, Becker PB (2008)
ACF catalyzes chromatosome movements in chromatin fibres.
EMBO J 27, 827-839.
- 122 Nightingale KP, Baumann M, Eberharter A, Mamais A, Becker PB, Boyes J, (2007)
Acetylation increases access of remodelling complexes to their nucleosome targets to enhance initiation of V(D)J recombination.
Nucleic Acids Research 35, 6311-6321.
- 121 Ferreira R, Chioda M, Eberharter A, Bonaldi T, Imhof A,, Becker PB (2007)
Site-specific acetylation of ISWI by Gcn5.
BMC Molecular Biology 8:73.
- 120 Gilfillan GD, König C, Dahlsveen IK, Prakoura N, Lamm R, Fauth T, Becker PB (2007)
Cumulative contributions of weak DNA determinants to targeting the Drosophila dosage compensation complex.
Nucleic Acids Research 35, 3561-3572.
- 119 Straub T, Becker PB (2007)
Dosage compensation: the beginning and end of generalization.
Nature Review Genetics 8, 47-57.
- 118 Becker PB (2006)*
A finger on the mark (News, Views).
Nature 442, 31-32.
- 117 Becker PB (2006)*
Dosis Kompensation im Profil: Lebenswichtige Feineinstellung der Transkription.
Biospektrum 2/06, 168-170.
- 116 Varga-Weisz PD, Becker PB (2006)
Regulation of Higher Order Chromatin Structures by Nucleosome Remodelling Factors.
Curr Op Genet Dev 16, 151-156.
- 115 Gilfillan GD, Straub T, de Wit E, Greil F, Lamm R, van Steensel B, Becker PB (2006)
Chromosome-wide gene-specific targeting of the Drosophila Dosage Compensation Complex.
Genes, Development 20, 857-870.

* no peer review

(joint) corresponding author

- 114 Becker PB (2006)*
Wolfram Hörz, 1944 – 2005 (Obituary).
Cell 124, 13-14.
- 113 Dahlsveen IK Gilfillan GD Shelest VI, Lamm R, Becker PB (2006)
Targeting Determinants of Dosage Compensation in *Drosophila*.
PLOS Genetics 2, e5.
- 112 Rupp AW, Becker PB (2005)*
Gene Regulation by Histone H1: Novel Links to DNA Methylation. (Preview).
Cell 123, 1178-1179.
- 111 Hartlepp KF, Fernandez-Tornero C, Eberharter A, Grüne T, Müller C, Becker PB (2005)
The histone fold subunits of the Chromatin Accessibility Complex facilitate nucleosome sliding through dynamic DNA interactions.
Mol Cell Biol 25, 9886-9896.
- 110 Becker PB (2005)*
Nucleosome remodelers on track (News and Views).
Nature Struct Mol Biol 12, 732-733.
- 109 Straub T, Gilfillan G, Becker PB (2005)
The *Drosophila* MSL complex activates the transcription of target genes.
Genes, Development 19, 2284-2288.
- 108 Straub T, Neumann MF, Prestel M, Kremmer E, Kaether C, Haass C, Becker PB (2005)
Stable chromosomal association of MSL2 defines a dosage compensated nuclear compartment.
Chromosoma 114, 352- 364.
- 107 Eberharter A, Ferreira R, Becker PB (2005)
Dynamic Chromatin: Concerted Nucleosome Remodelling and Acetylation.
Biol Chem 386, 745-75.
- 106 Straub T, Dahlsveen IK, Becker PB (2005)
Dosage Compensation in Flies: Mechanism, Models, Mystery.
FEBS letters 579, 3258-3263.
- 105 Morales V, Regnard C, Izzo A, Vetter I, Becker PB (2005)
The MRG domain mediates the functional integration of MSL3 into the dosage compensation complex.
Mol Cell Biol 25, 5947-5954.
- 104 Becker PB (2004)*
The Chromatin Accessibility Complex – chromatin dynamics through nucleosome sliding.
CSH Symp Quant Biol 69, 281-287.
- 103 Eberharter A, Vetter I, Ferreira R, Becker PB (2004)
Acf1 improves the effectiveness of nucleosome mobilization by ISWI through PHD-histone contacts.
EMBO J 23, 4029-4039.

* no peer review

(joint) corresponding author

- 102 Morales V, Straub T, Neumann MF, Mengus G, Akhtar A, Becker PB (2004)
Functional integration of the histone acetyltransferase MOF into the dosage compensation complex.
EMBO J 23, 2258–2268.
- 101 Gilfillan G, Dahlsveen I, Becker PB (2004)
Lifting a chromosome: Dosage Compensation in *Drosophila*.
FEBS Letters 567, 8–14.
- 100 Ragvin A, Valvatne H, Erdal S, Arskog V, Tufteland KR, Breen K, Oyan AM, Eberharter A, Gibson TJ Becker PB, Aasland R (2004)
Nucleosome binding by the bromodomain and PHD finger of the transcriptional cofactor p300.
J Mol Biol 337, 773-778.
- 99 Eberharter A, Becker PB (2004)*
ATP-dependent nucleosome remodelling: factors and function.
J Cell Sci 117, 3707-3711.
- 98 Akhtar A, Becker PB (2004)*
MOF, an acetyl transferase involved in dosage compensation in *Drosophila* uses a CCHC finger for substrate recognition.
In: Zinc Finger Proteins. S. Iuchi, N. Kuldell (eds.), Landes Bioscience, *Chapter 33*.
- 97 Chin J, Längst G, Becker PB, Widom J (2004)
Fluorescence anisotropy assays for analysis of ISWI-DNA and ISWI-nucleosome interactions.
Methods in Enzymology 376, 3-16.
- 96 Längst G, Becker PB (2004)
Nucleosome remodeling - one mechanism, many phenomena?
Biochimica et Biophysica Acta 1677, 58-63.
- 95 Eberharter A, Längst G, Becker PB (2004)
A nucleosome sliding assay for chromatin remodeling factors.
Methods in Enzymology 377, 344-352.
- 94 Strohner R, Németh A, Nightingale KP, Grummt I, Becker PB, Längst G (2004)
Recruitment of the nucleolar remodeling complex NoRC established rDNA silencing.
Mol Cell Biol 24, 1791-1798.
- 93 Brehm A, Tufteland KR, Aasland R, Becker PB (2004)
The many colours of chromodomains.
BioEssays 26, 133-140.
- 92 Grüne T, Brzeski J, Eberharter A, Clapier CR, Corona DFV., Becker PB[#], Müller CW[#] (2003)
Crystal structure and functional analysis of the nucleosome recognition module of the remodeling factor ISWI.
Molecular Cell 12, 449-460.
- 91 Straub T, Becker PB (2003)*
Chromatinstruktur und Krebsentstehung.
Forum 1-03, 21-22.

* no peer review

(joint) corresponding author

- 90 Park Y, Mengus G, Bai X, Kageyama Y, Meller V, Becker PB, Kuroda MI (2003).
Sequence-specific targeting of Drosophila roX genes by the MSL dosage compensation complex.
Molecular Cell 11, 977-986.
- 89 Sandaltzopoulos R., Becker PB (2003)
Analysis of activator-dependent transcription reinitiation *in vitro*.
Methods in Enzymology 370, 487-504.
- 88 Bonaldi T, Längst G, Strohner R, Becker PB[#], Bianchi ME[#] (2002)
The DNA chaperone function of HMGB1 facilitates ACF-dependent nucleosome sliding.
EMBO J 21, 6865-6873. [#] corresponding author
87. Becker PB (2002)
New EMBO Member Review. Nucleosome sliding: facts and fiction.
EMBO J 21, 4749-4753.
- 86 Bilbao-Cortés D, Hetzer M, Längst G, Becker PB, Mattaj IW (2002)
Ran binds to chromatin by two distinct mechanisms.
Current Biology. 12, 1151-1156.
- 85 Bouazoune K, Mitterweger A, Längst G, Imhof A, Akhtar A, Becker PB, Brehm A (2002)
The dMi-2 chromodomains are DNA binding modules important for ATP-dependent nucleosome mobilisation.
EMBO J 21, 2430-2440.
- 84 Corona DFV, Clapier CR, Becker PB, Tamkun JW (2002)
Modulation of ISWI function by site-specific histone acetylation.
EMBO Reports 3, 242-247.
- 83 Eberharter A, Becker PB (2002)
Histone acetylation, a switch between repressive and permissive chromatin.
EMBO Reports 3, 224-229.
- 82 Becker PB, Hörz W. (2002)
ATP-dependent nucleosome remodeling.
Ann Rev Biochem 71, 247-273.
- 81 Clapier C, Nightingale KP, Becker PB (2002)
A critical epitope for substrate recognition by the nucleosome remodeling ATPase ISWI.
Nucleic Acids Research 30, 649-655.
- 80 Murawski CM, Brehm A, Lowe H, Badenhorst P, Müller J, Becker PB, Travers AA (2001)
Tramtrack69 interacts with the dMi-2 ATPase component of the Drosophila NuRD chromatin remodeling complex.
EMBO Reports 2, 1089-1094.
- 79 Längst G, Becker PB (2001)
ISWI induces nucleosome sliding on nicked DNA.
Molecular Cell 8, 1085-1092.

* no peer review

(joint) corresponding author

- 78 Czermin B, Schotta G, Hülsmann BB, Brehm A, Becker PB, Reuter G, Imhof A (2001)
Physical and functional association of SU(VAR)3-9 and HDAC1 in Drosophila.
EMBO Reports 2, 915-919.
- 77 Ner SS, Blank T, Perez-Paralle ML, Grigliatti TA, Becker PB, Travers AA (2001)
HMG-D and histone H1 interplay during chromatin assembly and early embryogenesis.
J Biol Chem 276, 37569-37576.
- 76 Georgieva S, Nabirochkina A, Dilworth FJ, Eickhoff H, Becker PB, Tora L, Georgiev P.& Soldatov A. (2001)
The Novel Transcription Factor e(y)2 Interacts with TAF(II)40 and Potentiates Transcription Activation on Chromatin Templates.
Mol Cell Biol 21, 5223-5231.
- 75 Eberharter A, Ferrari S, Längst G, Straub T, Imhof A, Varga-Weisz P, Wilm M, Becker PB (2001)
Acfl, the largest subunit of CHRAC, regulates ISWI-induced nucleosome remodeling.
EMBO J 20, 3781-3788.
- 74 Längst G, Becker PB (2001)
Nucleosome mobilization and positioning by ISWI-containing chromatin remodeling factors.
J Cell Sci 114, 2561-2568.
- 73 Kageyama Y, Mengus G, Gilfillan G, Kennedy HG, Stuckenholz C, Kelley RL, Becker PB, Kuroda MI (2001)
Association and spreading of the Drosophila dosage compensation complex from a discrete roX1 chromatin entry site.
EMBO J 20, 2236-2245.
- 72 Leach KM, Nightingale KP, Igarashi K, Levings P, Engel JD, Becker PB, Bungert J (2001)
Reconstitution of human β -globin locus control region hypersensitive sites in the absence of chromatin assembly.
Mol Cell Biol 8, 2629-2640.
- 71 Längst G, Becker PB (2001)*
Zwischen Archivierung und Aktivierung: Informationsmanagement im Zellkern.
Einsichten 19, 6-9.
- 70 Akhtar A., Becker PB (2001)
The histone H4 acetyltransferase MOF uses a C₂HC zinc finger for substrate recognition.
EMBO Reports 2, 113-118.
- 69 Imhof A., Becker PB (2001)*
Modifications of the Histone N-terminal domains - Evidence for an 'epigenetic code'?
Molecular Biotechnology 17, 1-13.
- 68 Wu C, Becker PB, Tsukiyama T (2001)*
ATP-dependent chromatin remodeling by the ISWI complexes.
In "Chromatin Structure and Gene Expression: Frontiers of Molecular Biology", 2nd Edition, p 114-134. Elgin, S.C.R. and Workman, J.L. (Eds.). Oxford University Press

* no peer review

(joint) corresponding author

- 67 Clapier C, Längst G, Corona DFV, Becker PB[#], Nightingale, K.P. (2001)
Critical role for the histone H4 N-terminus in nucleosome remodeling by ISWI.
Mol Cell Biol. 21, 875-883.
- 66 Akhtar A, Zink D, Becker PB (2000)
Chromodomains are protein-RNA interaction modules.
Nature 407, 405-409.
- 65 Boyer LA, Logie C, Bonte E, Becker PB, Wade PA, Wolffe AP, Wu C, Imbalzano AN, Peterson CL (2000)
Functional delineation of three groups of the ATP-dependent family of chromatin remodeling enzymes.
J Biol Chem 275, 18864-18870.
- 64 Sandaltzopoulos R, Becker PB (2000)*
Solid phase DNase I footprinting. in: "Protein-DNA interactions: A practical approach",
Travers AA, Buckle M (eds), Oxford University Press
Nucl Acids and Biol Chemistry 11, 151-159.
- 63 Brehm A, Längst G, Kehle J, Clapier C, Imhof A, Eberharter A, Müller J, Becker PB (2000)
dMi-2 and ISWI chromatin remodelling factors: two classes of chromatin remodeling factors
have distinct nucleosome binding and mobilization properties.
EMBO J 16, 4332-4341.
- 62 Poot RA, Dellaire G, Hülsmann B, Corona DFV, Becker PB, Bickmore WA, Varga-Weisz PD (2000)
HuCHRAC, a new human ISWI chromatin-remodelling complex, contains haCf1 and two novel
histone-fold proteins.
EMBO J 19, 3377-3387.
- 61 Corona DFV, Eberharter A, Budde A, Deuring R, Ferrari S, Varga-Weisz P, Wilm M, Tamkum J, Becker PB (2000)
Two histone fold proteins, CHRAC-14 and CHRAC-16, are developmentally regulated subunits
of chromatin accessibility complex (CHRAC).
EMBO J 19, 3049-3059.
- 60 Akhtar A, Becker PB (2000)
Activation of transcription through histone H4 acetylation by MOF, an acetyl
transferase essential for dosage compensation in *Drosophila*.
Molecular Cell 5, 367-375.
- 59 Moggs JG, Grandi P, Quivy JP, Jonsson ZO, Hübscher U, Becker PB, Almouzni G (2000)
A CAF-1-PCNA-mediated chromatin assembly pathway triggered by sensing DNA damage.
Mol Cell Biol 20 1206-1218.
- 58 Breiling A, Bonte E, Ferrari S, Becker PB, Paro R (1999)
The *Drosophila* Polycomb Protein Interacts with Nucleosomal Core Particles In Vitro via its
Repression Domain.
Mol Cell Biol 19, 8451-8460.

* no peer review

(joint) corresponding author

- 57 Gebauer F, Corona D, Preiss T, Becker PB, Hentze MW (1999)
cooperative silencing via the 5' and 3' UTRs of msl-2 mRNA is independent of the poly(A) tail.
EMBO J 18, 6146-6154.
- 56 Längst G, Bonte EJ, Corona DEV, Becker PB (1999)
Nucleosome movement by CHRAC and ISWI without disruption or trans-displacement of the histone octamer.
Cell 97, 843-852.
- 55 Di Croce L, Koop R, Venditti P, Westphal HM, Nightingale KP, Corona DFV, Becker PB, Beato M (1999)
Two-step synergism between the progesterone receptor and the DNA-binding domain of nuclear factor 1 on MMTV minichromosomes.
Molecular Cell 4, 45-54.
- 54 Bonte E, Becker PB (1999)*
Preparation of chromatin assembly extracts from preblastoderm Drosophila embryos.
in: *Chromatin Protocols*, Becker. P.B. (Ed), Humana Press, Totowa, USA, 187-194.
53. Krajewski WA, Becker PB (1999)*
Reconstitution and analysis of hyperacetylated chromatin.
in: *Chromatin Protocols*, Becker. P.B. (Ed), Humana Press, Totowa, USA, 207-218.
- 52 Sandaltzopoulos R, Becker PB (1999)*
A solid phase approach for the analysis of reconstituted chromatin.
in: *Chromatin Protocols*, Becker. P.B. (Ed), Humana Press, Totowa, USA, 195-206.
- 51 Corona DFV, Längst G, Clapier CR, Bonte EJ, Ferrari S, Tamkun J, Becker PB (1999)
ISWI is an ATP-dependent nucleosome remodeling factor.
Molecular Cell 3, 239-245.
- 50 Varga-Weisz PD, Bonte EJ, Becker PB (1999)
Analysis of modulators of chromatin structure in Drosophila.
Methods Enzymology 304, 742-754.
- 49 Agianian B, Leonard K, Bonte E, Van der Zandt H, Becker PB, Tucker, P (1999).
The glutamine-rich domain of the Drosophila GAGA factor is necessary for amyloid fibre formation in vitro, but not for chromatin remodelling.
J Mol Biol 285, 527-544.
- 48 Nightingale KP, Becker PB (1998)
Structural and functional analysis of chromatin assembled from defined histones.
Methods 15, 343-353.
- 47 Venditti P, Di Croce L, Kauer M, Blank TA, Becker PB, Beato M (1998)
Assembly of the MMTV promoter minichromosomes with positioned nucleosomes precludes NF1 access but not restriction enzyme cleavage.
Nucleic Acids Research 26, 3657-3666.
- 46 Längst G, Becker PB, Grummt I (1998)
TTF-I determines the chromatin architecture of the active rDNA promoter.
EMBO J 17, 3135-3145.

* no peer review

(joint) corresponding author

- 45 Alexiadis V, Varga-Weisz PD, Bonte E, Becker PB, Gruss C (1998)
In vitro chromatin remodelling by Chromatin Accessibility Complex (CHRAC) at the SV40 origin of DNA replication.
EMBO J 17,3428-3438.
- 44 Karetsoy Z, Sandaltzopoulos R, Frangou-Lazaridis M, Lai C, Tsolas O, Becker PB and Papamarcaki, T (1998)
Prothymosin α modulates the interaction of histone H1 with chromatin.
Nucleic Acids Research 26, 3111-3118.
- 43 Varga-Weisz PD, Becker PB (1998)
Chromatin-remodeling factors: machines that regulate?
Curr. Op. Cell Biol. 10, 346-353.
- 42 Nightingale KP, Wellinger RE, Sogo JM, Becker PB (1998)
Histone acetylation facilitates RNA polymerase II transcription of the Drosophila hsp26 gene in chromatin.
EMBO J 17, 2865-2876.
- 41 Krajewski WA, Becker PB (1998)
Reconstitution of hyperacetylated, DNase I-sensitive chromatin characterized by high conformational flexibility of nucleosomal DNA.
Proc Natl Acad Sci USA 95, 1540-1545.
- 40 Sandaltzopoulos R., Becker PB (1998)
Heat shock factor increases the reinitiation rate from potentiated chromatin templates.
Mol Cell Biol 18, 361-367.
- 39 Gaillard P, Moggs JG, Roche DM, Quivy JP, Becker PB, Wood RD, Almouzni G (1997)
A nucleosome assembly pathway tightly linked to DNA repair.
EMBO J 16, 6281-6289.
- 38 Becker PB (1997)*
DNA-transcription factor interactions in the context of chromatin.
in "Transcription factors in Eukaryotes", Papavassiliou, A. (ed.), Springer Verlag Heidelberg, 336-346.
- 37 Varga-Weisz PD, Wilm M, Bonte E, Dumas K, Mann M, Becker PB (1997)
Chromatin-remodeling factor CHRAC contains the ATPases ISWI and topoisomerase II.
Nature 388, 598-602.
- 36 Sandaltzopoulos R., Becker PB (1997)*
Antirepression, potentiation and activation of promoters in reconstituted chromatin.
in "Mechanisms of transcription", Nucleic Acids, Molecular Biology 11, 291-308.
F. Eckstein and D. Lilley (eds). Springer Verlag, Heidelberg.
- 35 Blank TA, Sandaltzopoulos R, Becker PB (1997)*
Biochemical analysis of chromatin structure and function using Drosophila embryo extracts.
Methods 12, 28-35.

* no peer review

(joint) corresponding author

- 34 Längst G, Blank TA, Becker PB, Grummt I (1997)
RNA polymerase I transcription on nucleosomal templates: the transcription termination factor TTF-I induces chromatin remodeling and relieves transcriptional repression.
EMBO J 16, 760-768.
33. Rhee K, Stier G, Becker PB, Suck D, Sandaltzopoulos R (1997)
The bifunctional protein DCoH modulates interactions of the homeodomain transcription factor HNF1 with nucleic acids.
J Mol Biol 265, 20-29.
- 32 Ragnhildstveit E, Fjose A, Becker PB, Quivy JP (1997)
Solid phase technology improves coupled gel shift/footprinting analysis.
Nucleic Acids Research 25, 453-454.
- 31 Heald R, Tournebize R, Blank T, Sandaltzopoulos R, Becker PB, Hyman T, Karsenti E (1996)
Self-organisation of microtubules into bipolar spindels around artificial chromosomes in *Xenopus* egg extracts.
Nature 382, 420-425.
- 30 Quivy JP, Becker PB (1996)
Genomic Footprinting of *Drosophila* embryo nuclei by Linker Tag Selection LM-PCR.
Methods 11, 171-179.
- 29 Blank TA, Becker PB (1996)
The effect of nucleosome phasing sequences and DNA topology on nucleosome spacing.
J Mol Biol 260, 1-8.
- 28 Quiv, JP, Becker PB (1996)
The architecture of the heat-inducible *Drosophila* hsp27 promoter in nuclei.
J Mol Biol 256, 249-263.
- 27 Sandaltzopoulos R., Becker PB (1995)
Solid Phase DNase I footprinting.
Biochemica 4, 23-25.
- 26 Blank TA, Becker PB (1995)
Electrostatic mechanism of nucleosome spacing.
J Mol Biol 252, 305-313.
- 25 Varga-Weisz PD, Becker PB (1995)
Transcription factor-mediated chromatin remodelling: Mechanisms and Models
FEBS letters 369, 118-121.
- 24 Sandaltzopoulos R, Mitchelmore C, Bonte E, Wall G, Becker PB (1995)
Dual regulation of the *Drosophila* hsp26 promoter in vitro.
Nucleic Acids Research 13, 2479-2487.
- 23 Becker PB (1995)*
Drosophila chromatin and transcription
Seminars in Cell Biology 6, 185-190.

* no peer review

(joint) corresponding author

- 22 Quivy JP, Becker PB (1995)*
Determination of unknown genomic sequences without cloning.
In Methods in Mol, Biology, 65, PCR sequencing protocols, Rapley, R. (ed)
Humana Press, Totowa, p 119-131.
- 21 Sandaltzopoulos R., Quivy JP, Becker PB (1995)*
Analysis of protein/DNA interactions by solid phase footprinting.
Meth Mol and Cell Biol 5,176-181.
- 20 Varga-Weisz PD, Blank TA, Becker PB (1995)
Energy-dependent chromatin accessibility and nucleosome mobility in a cell-free system.
EMBO J 14, 2209-2216.
- 19 Wall G, Varga-Weisz PD, Sandaltzopoulos R., Becker PB (1995)
Chromatin remodeling by GAGA Factor and Heat Shock Factor at the hypersensitive
Drosophila hsp26 promoter in vitro.
EMBO J 14, 1727-1736.
- 18 Sandaltzopoulos R, Ansorge W, Becker PB, Voss H (1994)
Non-radioactive, solid phase DNase I footprints analyzed on an ALF DNA sequencer.
Biotechniques, 17, 474-476.
- 17 Sandaltzopoulos R, Becker PB (1994)
Solid phase DNase I footprinting: quick and versatile.
Nucleic Acids Research 22, 1511-1512.
- 16 Becker PB (1994)
The establishment of active promoters in chromatin.
BioEssays 16, 541-547.
- 15 Becker PB, Tsukiyama T, Wu C (1994)*
Preparation of chromatin assembly extracts from *Drosophila* embryos.
Methods in Cell Biology 44, 207-223.
- 14 Tsukiyama T, Becker PB, Wu C (1994)
ATP-dependent nucleosome disruption at a heat-shock promoter mediated by binding of
GAGA transcription factor.
Nature 367, 525-532.
- 13 Quivy JP, Becker PB (1994)
Direct dideoxy sequencing of genomic DNA by ligation-mediated PCR.
Biotechniques 16, 239-240.
- 12 Sandaltzopoulos R, Blank T, Becker PB (1994)
Transcriptional repression by nucleosomes but not H1 in reconstituted preblastoderm
Drosophila chromatin.
EMBO J 13, 373-379.
- 11 Quivy JP, Becker PB (1993)
An improved protocol for genomic sequencing and footprinting by ligation-mediated PCR.
Nucleic Acids Research 21, 2779-2781.

* no peer review

(joint) corresponding author

- 10 Becker PB, Weih F, Schütz G (1993)
Footprinting of DNA-binding proteins in intact cells.
Methods in Enzymology 218, 568-587.
- 9 Becker PB, Wu C (1992)
Cell-free system for assembly of transcriptionally repressed chromatin from *Drosophila* Embryos.
Mol Cell Biol 12, 2241-2249.
- 8 Weih F, Nitsch D, Reich A, Schütz G, Becker PB (1991)
Analysis of CpG methylation and genomic footprinting at the tyrosine aminotransferase gene: DNA methylation alone is not sufficient to prevent protein binding in vivo.
EMBO J 10, 2559-2567.
- 7 Becker PB, Rabindran SK, Wu C (1991)
Heat shock-regulated transcription in vitro from a reconstituted chromatin template.
Proc Natl Acad Sci USA 88, 4109-4113.
- 6 Clos J, Westwood J, Becker PB, Wilson S, Lambert K, Wu C (1990)
Molecular cloning and expression of a hexameric Heat Shock Factor subject to negative regulation.
Cell 63, 1085-1097.
- 5 Becker PB, Schütz G (1988)*
Genomic Footprinting.
In "Genetic engineering, principles and methods" 10, 1-17;
J.K. Setlow (ed), Plenum Press, New York.
- 4 Becker PB, Ruppert S, Schütz G (1987)
Genomic Footprinting reveals cell-type-specific binding of ubiquitous transcription factors.
Cell 51, 435-443.
- 3 Schütz G, Schmid W, Danesch U, Gloss B, Strähle U, Becker PB, Boshart M (1986)*
Molecular basis for hormonal regulation of the tyrosine aminotransferase and tryptophan oxygenase genes.
Annals of the New York Acad of Sciences 478, 93-100.
2. Becker PB, Gloss B, Schmid W, Strähle U, Schütz G (1986)
In vivo protein-DNA interactions in a glucocorticoid response element require the presence of the hormone.
Nature 324, 686-688.
- 1 Becker PB, Renkawitz R, Schütz G (1984)
Tissue-specific DNase I-hypersensitive sites in the 5' flanking sequences of the tryptophane oxygenase and tyrosine aminotransferase genes.
EMBO J 3, 2015-2020.

* no peer review

(joint) corresponding author