

Wissenschaftliche Veröffentlichungen

Wissenschaftliche Aufsätze

1. A. Zschunke, C. Mügge, M. Scheer, K. Jurkschat, A. Tzschach
The structure of 5-aza-2,8-dioxa-1-stanna(II)bicyclo[3.3.0^{1,5}]octane
J. Cryst. Spectr. Res. **1983**, *13*, 201-210.
2. A. Tzschach, M. Scheer, K. Jurkschat, A. Zschunke, C. Mügge
5-Aza(Oxa,Thia)-2,8-dithia-1-stanna(II)-bicyclo[3.3.0^{1,5}]-octane - intramolekular basenstabilisierte Stannylene
Z. Anorg. Allg. Chem. **1983**, *502*, 158-164.
3. A. Tzschach, K. Jurkschat, M. Scheer
6-(N-Methyl)aza-2,10-dithia-1-stanna(II)-bicyclo[4.4.0^{1,6}]decan - Ein Zehning mit transannularer Zinn-Stickstoff-Wechselwirkung
Z. Anorg. Allg. Chem. **1983**, *507*, 196-198.
4. A. Tzschach, K. Jurkschat, M. Scheer, J. Meunier-Piret, M. van Meersche
Synthesis, spectroscopic investigation and molecular structure of Pentacarbonyl-5-t-butyl-5-aza-2,8-dithia-1-stannabicyclo[3.3.0^{1,5}]octane-chromium(0)
J. Organomet. Chem. **1983**, *259*, 165-170.
5. A. Tzschach, M. Scheer, K. Jurkschat
Zur Reaktivität von intramolekular basenstabilisierten Zinn(II)-Verbindungen mit Mercaptanen, Disulfiden und Peroxiden
Z. Anorg. Allg. Chem. **1984**, *508*, 73-78.
6. A. Tzschach, M. Scheer, K. Jurkschat
5-Thia-2,8(N-alkyl)diaza-1-stanna(II)-bicyclo[3.3.0^{1,5}]octane - intramolekular basenstabilisierte Diazastannylene
Z. Anorg. Allg. Chem. **1984**, *515*, 147-150.
7. A. Tzschach, M. Scheer, K. Jurkschat
Zur Reaktivität von intramolekular basenstabilisierten Zinn(II)-Verbindungen mit Halogenen, Zinntetrachlorid und Chloroform
Z. Anorg. Allg. Chem. **1984**, *512*, 177-180.
8. K. Jurkschat, M. Scheer, A. Tzschach, J. Meunier-Piret, M. van Meersche
Crystal and molecular structure of 5-t-butyl-5-aza-2,8-dithia-1-stanna(II)bicyclo[3.3.0^{1,5}]octane. Identification of two different geometries along the dissociation-inversion pathway
J. Organomet. Chem. **1985**, *281*, 173-180.
9. A. Tzschach, K. Jurkschat, M. Scheer;
Intramolekular donorstabilisierte Stannylene - 5-Element-stanna(II)-bicyclooctane
Nova Acta Leopoldina **1985**, *59*, 305-320.
10. A. Zschunke, M. Scheer, M. Völtzke, K. Jurkschat, A. Tzschach
Zur Synthese und Struktur von Pentacarbonylmetall(0)-Komplexen intramolekular basenstabilisierter Zinn(II)-Verbindungen
J. Organomet. Chem. **1986**, *308*, 325-334.
11. M. Scheer, V. P. Fedin, V. E. Fedorov, M. A. Fedotov, P. P. Semjanikov
Zur Reaktivität von Telluriden des Niobs, Molybdäns, Wolframs und Rheniums mit Phosphorpentachlorid (russ.)
Zh. Neorg. Khim. **1987**, *38*, 1769-1771.
12. V. P. Fedin, Yu. V. Mironov, M. Scheer, V. E. Fedorov;

- Synthese mehrkerniger Thiokomplexe des Molybdäns und Wolframs (russ.)**
Zh. Vsesojuzn. Khim. Obschch. **1987**, 32, 106-107.
13. M. Scheer, V. P. Fedin, V. E. Fedorov, B. A. Kolosov
Die Synthese eines Thiobromides des Wolframs (WS₂Br)_n (russ.)
Koord. Khim. **1988**, 14, 856.
14. M. Scheer, A. Kolbe, E. Herrmann, V. P. Fedin, V. E. Fedorov, V. N. Ikorski, M. A. Fedotov
Zur Reaktivität von PCl₅ mit Übergangsmetallcarbonylen und -phosphiden
Z. Anorg. Allg. Chem. **1988**, 567, 111-121.
15. A. G. Klimenko, S. M. Ishikaev, Yu. I. Mironov, V. P. Fedin, V. E. Fedorov, M. Scheer
Synthese und Eigenschaften einphasiger Verbindungen des Typs YBa₂Cu₃O_{7-y}Cl_x (russ.)
Supraleiter: Physik, Chemie, Technik **1989**, 2, 141-145.
16. M. Scheer, E. Herrmann, A. Kolbe, V. P. Fedin, V. N. Ikorski, V. E. Fedorov
Zur Reaktivität von Phosphorpentachlorid mit Chromiumhexacarbonyl
Z. Chem. **1989**, 29, 406-407.
17. B. Walther, M. Scheer, H.-C. Böttcher, A. Trunschke, H. Ewald, D. Gutschick, H. Miessner, M. Skupin, G. Vorbeck
Synthesis of triangular [RhM₂Cp₃(CO)_n] clusters (M = Ni, n = 2; M = Fe, n = 4; M = Mo, W, n = 5). [RhMo₂Cp₃(CO)₅] as catalyst precursor in the CO hydrogenation reaction
Inorg. Chim. Acta **1989**, 156, 285-289.
18. V. P. Fedin, M. N. Sokolov, O. A. Geras'ko, M. Scheer, V. E. Fedorov, A. V. Mironov, und L. Slovokhotov, Yu. T. Strutchkov
New synthetic Route to W₃S₄⁴⁺ clusters: preparation and structure of [W₃(μ-S)(μ-S)₃(S₄)₃(H₂O)₃]²⁻
Inorg. Chim. Acta **1989**, 165, 25-26.
19. V. P. Fedin, M. Scheer, Yu. I. Mironov, A. G. Klimenko, S. M. Ishikaev, V. P. Shaburova, V. E. Fedorov
Eine neue Methode zur Darstellung Chlor-enthaltender Hochtemperatursupraleiter YBa₂Cu₃O_{7-x}Cl_y
Isv. Sib. Otd. Akad. Nauk SSSR, Ser. Khim. **1990**, 1, 134-141.
20. M. Scheer, E. Herrmann
Koordinationschemische Stabilisierung "nackter" Elemente der V. Hauptgruppe (außer Stickstoff) - Synthese, Struktur und Bindung
Z. Chem. **1990**, 30, 41-55.
21. M. Scheer, F. Uhlig, T. T. Nam, M. Dargatz, H.-D. Schädler, E. Herrmann
Darstellung und Reaktivität von Tris(dialkylthiophosphinyl)phosphanen
Z. Anorg. Allg. Chem. **1990**, 585, 177-188.
22. M. Scheer, T. T. Nam, E. Herrmann, V. P. Fedin, V. N. Ikorski, V. E. Fedorov
Das Reaktionsverhalten von Phosphorpenntahalogeniden mit Übergangsmetallcarbonylen. III [1,2] - Die Reaktion von PBr₅ mit Metallcarbonylen des Molybdäns und Wolframs
Z. Anorg. Allg. Chem. **1990**, 589, 214-220.
23. M. Scheer, T. T. Nam, E. Herrmann, V. P. Fedin, V. E. Fedorov
Die Reaktion von Phosphorpenntabromid mit Chromiumhexacarbonyl in Acetonitril
Z. Chem. **1990**, 30, 451-452.
24. M. Scheer, T. T. Nam, K. Schenzel, E. Herrmann, P. G. Jones, V. P. Fedin, V. N. Ikorski, V. E. Fedorov

- Das Reaktionsverhalten von Phosphorpentahalogeniden mit Übergangsmetallcarbonylverbindungen. IV [1,2] - Das Reaktionsverhalten gegenüber $[\text{CpM}(\text{CO})_3]_2$ (M = Cr, Mo, W) - Die Kristallstruktur von $\text{CpCrCl}_2\text{CH}_3\text{CN}$**
Z. Anorg. Allg. Chem. **1990**, *591*, 221-229.
25. M. Scheer, K. Schuster, K. Schenzel, E. Herrmann, P. G. Jones
Mono- und Di-t-Butylcyclopentadienyl-Carbonyl-Komplexe des Eisens und Molybdäns - Die Kristallstruktur von $[\text{Cp}''\text{Mo}(\text{CO})_2]_2$ ($\text{Cp}'' = \eta^5\text{-C}_5\text{H}_3\text{tBu}_2\text{-1,3}$)
Z. Anorg. Allg. Chem. **1991**, *600*, 109-119.
26. M. Scheer, E. Herrmann, J. Sieler, M. Oehme
Der *cyclo*-P₄-Ligand als 12 Elektronendonator
Angew. Chem. **1991**, *103*, 1023-1025;
Angew. Chem., Int. Ed. **1991**, *30*, 969-971.
27. M. Scheer, St. Gremler, E. Herrmann, U. Grünhagen, M. Dargatz, E. Kleinpeter
M^IP(SiMe₃)₂ (M^I = Li, Na, K) - Ein Baustein zur Synthese von iso-Tetraphosphanen des Typs P(PR₂)₃ (R = Ph, *cyclo*-C₆H₁₁ (Cy))
Z. Anorg. Allg. Chem. **1991**, *600*, 203-210.
28. M. Scheer, St. Gremler, E. Herrmann, P. G. Jones
Darstellung und Charakterisierung komplexierter Triphosphate - Die Kristallstruktur von $\text{HP}[\text{PPh}_2\text{Cr}(\text{CO})_5]_2$
J. Organomet. Chem. **1991**, *414*, 337-349.
29. F. Uhlig, St. Gremler, M. Dargatz, M. Scheer, E. Herrmann
Bis(trimethylsilyl)phosphide der Alkalimetalle
Z. Anorg. Allg. Chemie **1991**, *606*, 105-108.
30. M. Scheer, V. P. Fedin, Yu. V. Mironov, V. E. Fedorov
Zum Reaktionsverhalten von Molybdän-, Wolfram- und Rheniumchalkogeniden mit Phosphorpentachlorid (russ.)
Zh. Neorg. Khim. **1991**, *36*, 1382-1384.
31. M. Scheer, P. G. Jones
Die Kristallstruktur des Tris(dimethylthiophosphinyl)phosphans
J. Organomet. Chem. **1992**, *434*, 57-61.
32. M. Scheer, M. Dargatz, K. Schenzel, P.G. Jones
P₄-Liganden mit maximaler Elektronendonorfähigkeit II. $[\{\text{Fe}(\text{CO})_4(\eta^2\text{-P}_2)\}_2\{\mu\text{-Fe}_2(\text{CO})_6\}_2]$ - ein Komplex mit einer ungewöhnlich stabilisierten P₄-Einheit
J. Organomet. Chem. **1992**, *435*, 123-132.
33. B. Walther, H.-C. Böttcher, M. Scheer, G. Fischer, D. Fenske, G. Süss-Fink
Synthese, Charakterisierung und Reaktivität heterodinuklearer Komplexe: $[(\text{CO})_4\text{Fe}(\mu\text{-PtBu}_2)\text{Rh}(\text{CO})\text{L}]$ (Fe-Rh) (L = CO, HPtBu₂), $[(\text{CO})_3\text{Co}(\mu\text{-H})(\mu\text{-PtBu}_2)\text{Rh}(\text{CO})(\text{HPtBu}_2)]$ (Co-Rh)
J. Organomet. Chem. **1992**, *437*, 307-321.
34. M. Scheer, M. Dargatz, A. Rufinska
P₄-Liganden mit maximaler Elektronendonorfähigkeit III. Zum Reaktionsverhalten von Phosphankomplexen des Platins mit P₄-Phosphor
J. Organomet. Chem. **1992**, *440*, 327-333.
35. M. Scheer, Ch. Troitzsch, P.G. Jones
Die Bildung von *cyclo*-P₄-Liganden mit maximaler Elektronendonorfähigkeit (IV. Mitteilung über P₄-Liganden mit maximaler Elektronendonorfähigkeit)
Angew. Chem. **1992**, *104*, 1395-1397;
Angew. Chem. Int. Ed. **1992**, *31*, 1377-1379.
36. S. Gremler, M. Scheer

- Zum Reaktionsverhalten der Tris(dialkylthiophosphinyl)phosphane - Die Kristallstruktur von $[\text{Ag}\{\text{O}[\text{P}(\text{S})\text{Me}_2]\}_3][\text{AsF}_6]$**
Z. Anorg. Allg. Chemie **1993**, 619, 466-470.
37. M. Scheer, S. Gremler
Synthese und spektroskopische Eigenschaften neuer komplexierter Triphosphane
Z. Anorg. Allg. Chemie **1993**, 619, 471-475.
38. M. Scheer, M. Dargatz, P. G. Jones
Zur Chlorierung eines *cyclo*- P_4 -Ligand-Komplexes (V. Mitteilung über P_4 -Liganden mit maximaler Elektronendonorfähigkeit)
J. Organomet. Chem. **1993**, 447, 259-264.
39. M. Scheer, G. Friedrich, K. Schuster
 $[\text{Cr}(\text{CO})_5\text{PCl}_3]$ - Ein P_1 -Baustein zur Bildung von *cyclo*- P_x -Ligand-Komplexen ($x = 3, 5$)
Angew. Chem. **1993**, 105, 641-643;
Angew. Chem. Int. Ed. **1993**, 32, 593-594.
40. M. Scheer, St. Gremler, E. Herrmann, M. Dargatz, H.-D. Schädler
Zur Synthese von Tris(diorganylphosphino)phosphanen mit Substituenten geringen Raumbedarfs
Z. Anorg. Allg. Chem. **1993**, 619, 1047-1052.
41. M. Scheer
Transformation of White Phosphorus by Carbonyl Complexes
Phosphorus, Sulfur, and Silicon **1993**, 77, 264.
42. M. Scheer, K. Schuster, U. Becker, A. Krug, H. Hartung
Mono- und Di-*t*-butylcyclopentadienyl-Carbonyl-Komplexe des Mangans, Eisens, Cobalts und Rhodiums - Die Kristallstrukturen von $[\text{Cp}^x\text{Fe}(\text{CO})_2]_2$ ($\text{Cp}^x = \eta^5\text{-C}_5\text{H}_3(\text{tBu})\text{R-1,3}$, $\text{R} = \text{H}, \text{tBu}$)
J. Organomet. Chem. **1993**, 460, 105-110-
43. M. Scheer, U. Becker, J. C. Huffman, M. H. Chisholm
 $[\text{CoCp}''(\eta^4\text{-P}_4)\{\text{Cr}(\text{CO})_5\}_3]$ ($\text{Cp}'' = \eta^5\text{-C}_5\text{H}_3\text{tBu}_2\text{-1,3}$) - The product of the reaction between P_4 -Phosphorus and $[\text{CoCp}''(\mu\text{-CO})_2]$ in the presence of $[\text{Cr}(\text{CO})_5\text{THF}]$ (VI. Mitteilung über P_4 -Liganden mit maximaler Elektronendonorfähigkeit)
J. Organomet. Chem. **1993**, 461, C1-C3.
44. M. Scheer
 P_4 -Liganden mit maximaler Elektronendonorfähigkeit - Die Dreikomponentenreaktion
GIT **1994**, 38, 36-37.
45. M. Scheer, U. Becker
Cyclo- P_4 Ligands with an Maximum of Electron-Donating Ability (IX. Mitteilung über P_4 -Liganden mit maximaler Elektronendonorfähigkeit)
Phosphorus, Sulfur and Silicon **1994**, 93/94, 257-260.
46. M. Scheer, U. Becker
The Reaction Behavior of White Phosphorus with Metal Complexes of Cobalt and Molybdenum (X. Mitteilung über P_4 -Liganden mit maximaler Elektronendonorfähigkeit)
Phosphorus, Sulfur and Silicon **1994**, 93/94, 391-392.
47. M. Scheer, C. Troitzsch, L. Hilfert, M. Dargatz, E. Kleinpeter, P. G. Jones, J. Sieler
Die Dreikomponentenreaktion von P_4 -Phosphor und $[\text{Cp}^x\text{Rh}(\text{CO})_2]$ ($\text{Cp}^x = \text{Cp}'$, Cp'' ; $\text{Cp}' = \eta^5\text{-C}_5\text{H}_4\text{tBu}$, $\text{Cp}'' = \eta^5\text{-C}_5\text{H}_3\text{tBu}_2\text{-1,3}$) in Gegenwart von $[\text{Cr}(\text{CO})_5\text{THF}]$ bzw. $[\text{CpMn}(\text{CO})_2\text{THF}]$ - Eine Methode zum Studium des

- Transformationsweges vom P₄-Tetraeder zum planaren *cyclo*-P₄-Liganden (VII. Mitteilung über P_n-Liganden mit maximaler Elektronendonorfähigkeit)**
Chem. Ber. **1995**, *128*, 251-257.
48. M. Scheer, U. Becker, M. H. Chisholm, J. C. Huffman, F. Lemoigno, O. Eisenstein
[Cp''Co(P₄){(Cp''Co)₂(μ-CO)}] (Cp'' = η⁵-C₅H₃tBu₂) - A Complex with a P₄ Unit on the Way to a P₁- and a P₃-Ligand (VIII. Mitteilung über P₄-Liganden mit maximaler Elektronendonorfähigkeit)
Inorg. Chem. **1995**, *34*, 3117-3119.
49. M. Scheer, K. Schuster, T. A. Budzichowski, M. H. Chisholm, W. E. Streib
Is it Possible to Stabilise Complexes with a Tungsten Phosphorus Triple Bond?
J. Chem. Soc., Chem. Commun. **1995**, 1671-1672.
50. M. Scheer
Terminale E₁-Liganden aus Elementen der Gruppe 15
Angew. Chem. **1995**, *107*, 2151-2153;
Angew. Chem. Int. Ed. **1995**, *34*, 1997-1999.
51. M. Scheer, K. Schuster, U. Becker
Different Ways of P₄ Transformation in the Coordination Sphere of Transition Metals
Phosphorus, Sulfur and Silicon **1996**, *109-110*, 141-144.
52. M. Scheer, U. Becker, E. Matern
Ir-Komplexe mit P₄-Bicyclotetraphosphan und P₈-Cunean als Liganden - CO-Insertion in eine Ir(P-Bindung)
Chem. Ber. **1996**, *129*, 721-724.
53. T. A. Budzichowski, M. H. Chisholm, K. Foltig, W. E. Streib, M. Scheer
Tetranuclear Phosphinidene, Phosphide, Arsenide and Oxide Anionic Clusters of Molybdenum and Tungsten Supported by Neopentoxide Ligands: Na(18-crown-6)₂[Mo₄(OCH₂tBu)₁₁PSiMe₃], K(18-crown-6)[M₄(OCH₂tBu)₁₀(E)] Where E = P and As and K(18-crown-6)[M₄(OCH₂tBu)₁₁(O)]
Inorg. Chem. **1996**, *35*, 3659-3666.
54. M. Scheer, K. Schuster, A. Krug, H. Hartung
Komplexe mit Metall-Phosphor-Dreifachbindungen als mögliche Intermediate der Umsetzungen von Chlorphosphiniden-Komplexen mit Metallaten verschiedener Übergangsmetalle
Chem. Ber. **1996**, *129*, 973-979.
55. M. Scheer, U. Becker
Zur Transformation des P₄-Tetraeders durch Ni-Komplexe
Chem. Ber. **1996**, *129*, 1307-1310.
56. M. Scheer, J. Müller, M. Häser
Komplexe mit Phosphor und Arsen als terminalen Liganden
Angew. Chem. **1996**, *108*, 2637-2641;
Angew. Chem. Int. Ed. **1996**, *35*, 2492-2496.
57. H. H. Karsch, F. Bienlein, T. Rupprich, F. Uhlig, E. Herrmann, M. Scheer
Tris(trimethylsilyl)phosphine, alkylbis(trimethylsilyl)phosphines, Bis(alkyl)(trimethylsilyl)phosphines, sodium bis(trimethylsilyl)phosphide, potassium bis(trimethylsilyl)phosphide - P(SiMe₃)₃, RP(SiMe₃)₂, NaP(SiMe₃)₂, KP(SiMe₃)₂
Synth. Methods Organomet. Inorg. Chem. **1996**, *3*, 58-65.
58. M. Scheer, K. Schuster, A. Krug, H. Hartung
[Cr(CO)₅PCl₃] - A Starting Material for Phosphorus Rich P_x Ligand Complexes
Chem. Ber. **1997**, *130*, 1299-1304.

59. M. Scheer und P. G. Jones;
Bis(triphenylphosphine-P)iminium Trichloro(η^5 -cyclopentadienyl)chromide(III)
Acta Cryst. **1997**, C53, 1038 - 1039
60. M. Scheer, P. G. Jones
(Acetonitrile-N)trichloro(η^5 -1,3-di-tert-butylcyclopentadienyl)molybdenum(IV)
Acta Cryst. **1997**, C53, 1198-1199.
61. M. Scheer
Metal Element Triple Bonds of the Heavier Group 15 Elements
Coord. Chem. Rev. **1997**, 163, 271-286.
62. M. Scheer, U. Becker
Dreikomponentenreaktionen unter photochemischen Bedingungen - Der Transformationsweg des P₄-Phosphors in der Koordinationssphäre von Co-Komplexen
J. Organomet. Chem. **1997**, 545-546, 451-460.
63. M. Scheer, J. Krug, P. Kramkowski, J. F. Corrigan
Reaction of Phosphaalkynes with [Ru₄(CO)₁₃(μ_3 -PPh)]: Synthesis of Unsymmetrically Capped Bisphosphinidene Complexes
Organometallics **1997**, 16, 5917-5922.
64. P. Kramkowski, M. Scheer, G. Baum
Different Reaction Modes of Supermesitylphosphaalkyne with [W(CO)₅thf] - Unusual C-H-Activation forming an Indanyl Substituent
J. Organomet. Chem. **1998**, 553, 511-516.
65. M. Scheer, J. Krug
Zur Reaktion von tert-Butyl-phosphaalkin mit Molybdänkomplexen
Z. anorg. allg. Chem. **1998**, 624, 399-405.
66. M. Scheer, U. Becker, J. Magull
The reaction of P₄ with [Cp'Mo(CO)₃]₂ (Cp' = η^5 -C₅H₄tBu) - the structure of [Cp'Mo(CO)₂<(η^3 -P₄)₂{Cr(CO)₅}₄(H)>]
Polyhedron **1998**, 17, 1983-1989.
67. M. Scheer, J. Müller, G. Baum, M. Häser
Reaction Behaviour of a Complex Containing a Tungsten Phosphorus Triple Bond with σ -Acceptor-Compounds of Group 13
Chem. Commun. **1998**, 1051-1052.
68. M. Scheer, E. Leiner, P. Kramkowski, M. Schiffer, G. Baum
A Novel Synthetic Approach to Highly Reactive Intermediates Containing a Metal Phosphorus Triple Bond
Chem. Eur. J. **1998**, 4, 1917-1923.
69. M. H. Chisholm, K. Foltling, M. Scheer
A study of the photochemical reaction between W₂(OCH₂^tBu)₆ and P₄. Characterization of the phosphido cluster W₄(μ -P)₂(OCH₂^tBu)₁₀
Polyhedron **1998**, 17 2931-2935.
70. M. Scheer, J. Müller, G. Baum, M. Häser
Antimony as symmetrically bridged ligand in a novel neutral complex
Chem. Commun. **1998**, 2505-2506.
71. T. Gröer, G. Baum M. Scheer
Complexes with a Monohapto Bound Phosphorus Tetrahedron and Phosphaalkyne
Organometallics **1998**, 17, 5916-5919.
72. M. Scheer, P. Kramkowski, M. Schiffer, J. Müller

- Complexes with a Metal Phosphorus Triple Bond**
Phosphorus, Sulfur, and Silicon **1999**, *144*:1, 717-720.
73. P. Sekar, M. Scheer, A. Voigt, R. Kirmse
Unusual reactivity of a Cr₂P₂ tetrahedral complex towards superhydride; Formation of [$\{\text{CpCr}(\text{CO})_2\}_2(\mu\text{-PH})_x(\mu\text{-H})_{2-x}$] (x = 1 and 2) and [$\{\text{CpCr}(\text{CO})_2\}_2(\mu\text{-PH})\}\{(\text{CpCr})_2(\mu,\eta^1:\eta^1:\eta^5:\eta^5\text{-P}_5)\}$]
Organometallics **1999**, *18*, 2833-2837.
74. M. Scheer, P. Kramkowski, K. Schuster
An approach to novel Complexes with a Tungsten-Phosphorus Triple Bond
Organometallics **1999**, *18*, 2874-2883.
75. P. Kramkowski, G. Baum, U. Radius, M. Kaupp, M. Scheer
Novel Complexes with a short Tungsten Phosphorus Triple Bond
Chem. Eur. J. **1999**, *5*, 2890-2898.
76. P. Kramkowski, M. Scheer
Übergangsmetallinduzierte Pentamerisierung von Phosphaalkin
Angew. Chem. **1999**, *111*, 3384-3387;
Angew. Chem. Int. Ed. **1999**, *38*, 3183-3186.
77. U. Vogel, G. Baum, M. Scheer
Untersuchungen zur Sb-Sb-Bindungsknüpfung in der Koordinationssphäre von Übergangsmetallen
Z. Anorg. Allg. Chem. **2000**, *626*, 444-449.
78. T. Gröer, M. Scheer
Structure and reactivity of transition metal substituted dichloroantimony and dichlorobismuth complexes
J. Chem. Soc., Dalton Trans. **2000**, 647-653.
79. P. Kramkowski, M. Scheer
"Nackter" Phosphor als gewinkelt-verbrückender Ligand
Angew. Chem. **2000**, *112*, 959-962;
Angew. Chem. Int. Ed. **2000**, *39*, 928-931.
80. M. Scheer, J. Müller, M. Schiffer, G. Baum, R. Winter
Pnictides as symmetrically bridging ligands in novel neutral complexes
Chem. Eur. J. **2000**, *6*, 1252 – 1257
81. S. Umbarkar, P. Sekar, M. Scheer
Chromium complexes with mixed group 15 elements as ligands - Synthesis and characterisation of the first *cyclo*-P₂As ligand in [Cp(CO)₂Cr(η^3 -P₂As)]
J. Chem. Soc., Dalton Trans. **2000**, 1135-1137.
82. T. Gröer, M. Scheer
Untersuchungen zur P-P-Bindungsknüpfung in der Koordinationssphäre von Übergangsmetallen
Z. Anorg. Allg. Chem. **2000**, *626*, 1211-1216.
83. M. Schiffer, M. Scheer
On the pathway of the η^1 - η^5 migration of a Cp* ligand
J. Chem. Soc., Dalton Trans. **2000**, 2493-2494.
84. P. Kramkowski, M. Scheer
Cyclooligomerisation reactions of different phosphaalkynes in the presence of [W(CO)₅thf] - Route to tungsten-stabilised phosphorus heterocycles
Eur. J. Inorg. Chem. **2000**, 1869-1876.
85. B. P. Johnson, M. Schiffer, M. Scheer

- Novel Approach to Intermediates Containing a Tungsten Arsenic Triple Bond**
Organometallics **2000**, *19*, 3404-3409.
86. T. Gröer, M. Scheer
Transition Metal substituted Dichlorobismuthanes as Starting Materials for Novel Bismuth-Transition Metal Clusters
Organometallics **2000**, *19*, 3683-3691.
87. P. Sekar, S. Umbarkar, M. Scheer, A. Voigt, R. Kirmse
Synthesis and properties of novel metal linked P_n ligand complexes
Eur. J. Inorg. Chem. **2000**, 2585-2589.
88. T. Gröer, T. Palm, M. Scheer
Novel main group-transition metal cluster compounds incorporating antimony, iron and cobalt
Eur. J. Inorg. Chem. **2000**, 2591-2595.
89. M. Schiffer, B. P. Johnson, M. Scheer
Untersuchungen zur Darstellung von [Cp^xSb{M(CO)₅}₂] (Cp^x = Cp, Cp*; M = Cr, W)
Z. Anorg. Allg. Chem. **2000**, *626*, 2498-2504.
90. M. Scheer, S. B. Umbarkar, S. Chatterjee, R. Trivedi, P. Mathur
Novel approach to mixed group 15/16 Element ligands forming unusual trichalcogenophosphonato ligands in mixed Fe/Cr clusters
Angew. Chem. **2001**, *113*, 399-401;
Angew. Chem. Int. Ed. **2001**, *40*, 376-378.
91. M. Scheer, P. Kramkowski, M. Schiffer, B. P. Johnson, E. Leiner
Complexes with a metal phosphorus triple bond - A novel class of highly reactive compounds
Phosphorus, Sulfur Silicon and Related Elements **2001**, *168-169*, 179-184.
92. S. B. Umbarkar, P. Sekar, M. Scheer
Reactivity study of the P₂ ligand complex [CpCr(CO)₂]₂(μ,η²-P₂)
Phosphorus, Sulfur Silicon and Related Elements **2001**, *168-169*, 529-532.
93. E. Leiner, M. Scheer
Cp*-migration - an approach to novel group 13 element complexes
Phosphorus, Sulfur Silicon and Related Elements **2001**, *168-169*, 489-492.
94. U. Vogel, M. Scheer
Synthesis of novel transition metal group 15 cage compounds and their use as molecular precursors for binary and ternary transition metal pnictides
Phosphorus, Sulfur Silicon and Related Elements **2001**, *168-169*, 547-550.
95. U. Vogel, G. Stöber, M. Scheer
Die komplexchemische Stabilisierung von Dichlorodiphosphen
Angew. Chem. **2001**, *113*, 1476-1478;
Angew. Chem. Int. Ed. **2001**, *40*, 1443-1445.
96. M. Schiffer, M. Scheer
Trapping reactions of an intermediate containing a tungsten-phosphorus triple bond with alkynes
Chem. Eur. J. **2001**, *7*, 1855-1861.
97. M. Schiffer, E. Leiner, M. Scheer
Different transformation pathways in the photolysis of [Cp*P{W(CO)₅}₂]
Eur. J. Inorg. Chem. **2001**, 1661-1663.
98. U. Vogel, M. Scheer
Zur Oxidation von komplexierten Phosphanen bzw. Arsanen an Platin(0)-

- Komplexen**
Z. Anorg. Allg. Chem. **2001**, 627, 1593-1598.
99. M. Schiffer, M. Scheer
Insertion reactions of nitriles into the P-C bond of $[(\eta^1\text{-C}^5\text{Me}^5)\text{P}\{\text{W}(\text{CO})^5\}_2]$ - A novel approach to phosphorus containing heterocycles
Angew. Chem. **2001**, 113, 3520-3523;
Angew. Chem. Int. Ed. **2001**, 40, 3413-3416.
100. U. Vogel, A. Y. Timoshkin, M. Scheer
Lewis acid/base-stabilised phosphanylalane and -galane
Angew. Chem. **2001**, 113, 4541-4544;
Angew. Chem. Int. Ed. **2001**, 40, 4409-4412.
101. M. Scheer, M. Schiffer, E. Leiner, B. P. Johnson, C. Haindl, S. Umbarkar
Complexes with a metal-phosphorus triple bond as versatile building blocks in coordination and organometallic chemistry
Phosphorus, Sulfur and Silicon **2002**, 177, 1617-1620.
102. E. Leiner, M. Scheer
 Cp^*GaCl_2 and Cp^*_2GaCl ($\text{Cp}^* = \eta^1\text{-C}_5\text{Me}_5$) as starting materials for novel group 13 element complexes
J. Organometal. Chem. **2002**, 646, 247-254.
103. E. Leiner, O. Hampe, M. Scheer
Synthesis and Structure of Novel Complexes of Gallium
Eur. J. Inorg. Chem. **2002**, 584 - 590.
104. J. Bai, E. Leiner, M. Scheer
 P_2 Ligand Complexes as Building Blocks for the Formation of One-Dimensional Polymers
Angew. Chem. **2002**, 114, 820-823;
Angew. Chem. Int. Ed. **2002**, 41, 783-786.
105. J. Bai, A. V. Virovets, M. Scheer
Pentaphosphaferrocene as a Linking Unit for the Formation of One- and Two-Dimensional Polymers
Angew. Chem. **2002**, 114, 1808-1811;
Angew. Chem. Int. Ed., **2002**, 41, 1737-1740.
106. S. N. Konchenko, N. A. Pushkarevsky, M. Scheer;
Synthesis and structure of the novel mixed Sb/Se and Sb/Te-containing Iron Carbonyl Clusters $[\text{Fe}_3(\mu_3\text{-Y})(\mu_3\text{-SbMes})(\text{CO})_9]$ ($\text{Y} = \text{Se}, \text{Te}$) and $[\text{Fe}_3(\mu_3, \eta^2: \eta^1\text{-SeSbMes})(\mu_3\text{-SbMes})(\text{CO})_{10}]$
J. Organometal. Chem. **2002**, 658, 204-209.
107. E. Leiner, M. Scheer
A synthetic approach to novel group 13/15 element complexes
Organometallics **2002**, 21, 4448-4453.
108. U. Vogel, P. Hoemensch, K. Schwan, A. Y. Timoshkin, M. Scheer
The stabilization of monomeric parent compounds of phosphanyl- and arsanylboranes
Chem. Eur. J. **2003**, 9, 515-519.
109. S. N. Konchenko, N. A. Pushkarevsky, A. V. Virovets, M. Scheer
Reactions of $[\text{Fe}_3(\mu_3\text{-Q})(\text{CO})_9]$ ($\text{Q} = \text{Se}, \text{Te}$) with organic and organometallic dihalides of group 15 elements - An approach to functionalised clusters
J. Chem. Soc., Dalton Trans., **2003**, 581-585
110. U. Vogel, P. Sekar, R. Ahlrichs, U. Huniar, M. Scheer
Unusual Bonding Situation in a novel Au(I) Phosphido Complex with a planar

- Au₃P₃-Framework**
Eur. J. Inorg. Chem. **2003**, 1518-1522
111. J. Bai, A. V. Virovets, M. Scheer
Synthesis of Inorganic Fullerene-like Molecules
Science, **2003**, *300*, 781-783.
112. U. Vogel, M. Scheer
LiE(SiMe₃)₂ (E = P, As) als Synthesebaustein zur Darstellung von Molybdänkomplexen mit EH funktionellen Liganden
Z. Anorg. Allg. Chem. **2003**, *629*, 1491-1495.
113. S. N. Konchenko, N. A. Pushkarevsky, M. Scheer
First Examples of Electrophilic Addition to a Fe₂Q Face of [Fe₃(μ₃-Q)(CO)₉]²⁻ (Q = Se, Te) - Synthesis and Characterisation of [MFe₃(μ₃-Q)(CO)₉Cp*] and [IrFe₂(μ₃-Q)(CO)₇Cp*] (M = Rh, Ir; Cp* = η⁵-C₅(CH₃)₅)
J. Cluster Science **2003**, *14*, 299-312.
114. M. Scheer, M. Kaupp, A. V. Virovets, S. N. Konchenko
Elemental Gallium as a Source of Novel Subvalent Gallium Units in Unprecedented Ga/Rh Clusters
Angew. Chem. **2003**, *115*, 5237-5240;
Angew. Chem. Int. Ed. **2003**, *42*, 5083-5086.
115. B. P. Johnson, G. Balázs, M. Scheer
Complexes with a Metal Phosphorus Triple Bond
Topics in Current Chemistry 232, *New Aspects in Phosphorous Chemistry - Volume IV*, **2004**, 1-23, Springer Verlag, Heidelberg Berlin.
116. U. Vogel, K. Schwan, M. Scheer
Reactivity of a Phosphanalane Complex towards Lewis Bases
Eur. J. Inorg. Chem. **2004**, 2062-2065.
117. P. Mathur, S. Chatterjee, B. P. Singh, T. Kundu, R. Trivedi, S. B. Umbarkar, M. Scheer
Second Molecular Hyperpolarizability of Mixed Transition Metal, Non-metal Clusters
J. Cluster Sci. **2004**, *15*, 13-31.
118. D. Himmel, M. Seitz, M. Scheer
Beiträge zum Reaktionsverhalten von Phosphaalkinen gegenüber Übergangsmetallkomplexen - Synthese und Kristallstrukturanalyse von [(Ph₃P)₂Pt(η²-PCMes)], [M(CO)₃(η⁴-P₂C₂Mes₂)] (M = Fe, Ru), [Cp*Mo(CO)Cl(η⁴-P₂C₂^tBu₂)] und [K(tol)₂]₂[Mn(CO)₄{Mn(CO)₃(η⁴-P₂C₂^tBu₂)}₂]₂
Z. Anorg. Allg. Chem. **2004**, *630*, 1220-1228.
119. H. Böttcher, D. Himmel, M. Scheer
Hydrodimetallation of tert-Butylphosphaalkyne by a Diruthenium Complex - Crystal and Molecular Structure of [Ru₂(CO)₄(μ-PBu^t)₂(μ-Ph₂PCH₂PPh₂){μ-PC(H)Bu^t}]
Organometallics **2004**, *23*, 5314-5316.
120. M. Scheer, U. Vogel, U. Becker, G. Balázs, P. Scheer, W. Höhle, M. Becker, M. Jansen
Synthesis and Characterisation of Novel Complexes Containing Group 15 Elements and their Potential Use as Molecular Precursors for the Formation of Transition Metal Pnictides
Eur. J. Inorg. Chem. **2005**, 135-141.
121. U. Vogel, K. Schwan, P. Hoemensch, M. Scheer
Reactivity of Lewis Acid/Base Stabilized Phosphanyl- and Arsanylboranes

- towards a Platinum(0) Complex
Eur. J. Inorg. Chem. **2005**, 1453-1458.
122. M. Scheer, L. Gregoriades, J. Bai, M. Sierka, G. Brunklaus, H. Eckert
One-Dimensional Polymers Based on $\{[\text{CpMo}(\text{CO})_2\}_2(\mu, \eta^2\text{-P}_2)\}$: Solid State Conformation Analysis by NMR Spectroscopy and DFT Calculations
Chem. Eur. J. **2005**, *11*, 2163-2169.
123. M. Scheer, S. Deng, O. J. Scherer, M. Sierka
Novel Tetraphosphacyclopentadienyl and Triphosphaallyl Ligands in Iron Complexes
Angew. Chem. **2005**, *117*, 3821-3825;
Angew. Chem. Int. Ed. **2005**, *44*, 3755-3758.
124. G. Balázs, M. Sierka, M. Scheer
Antimony-Tungsten Triple Bond - A Stable Complex with a terminal Sb Ligand
Angew. Chem. **2005**, *117*, 4999-5003;
Angew. Chem. Int. Ed. **2005**, *44*, 4920-4924.
125. M. Scheer, J. Bai, B. P. Johnson, R. Merkle, A. V. Virovets; C. E. Anson
Fullerene-like Nanoballs formed by Pentaphosphaferrocene and CuBr
Eur. J. Inorg. Chem. **2005**, *20*, 4023-4026.
126. B. P. Johnson, G. Balázs, M. Scheer
Low-coordinate E_1 ligand complexes of group 15 elements - A developing area
Coord. Chem. Rev. **2006**, *250*, 1178-1195.
127. B. P. Johnson, F. Dielmann, G. Balázs, M. Sierka, M. Scheer
Spherical Cluster Comprising a Four- and Six-Membered Ring Motif
Angew. Chem. **2006**, *118*, 2533-2536;
Angew. Chem. Int. Ed. **2006**, *45*, 2473-2475.
128. K. Schwan, A. Timoshkin, M. Zabel, M. Scheer
Lewis-Base Stabilised Phosphanylborane
Chem. Eur. J. **2006**, *12*, 4900-4908.
129. U. Vogel, A. Y. Timoshkin, K. Schwan, M. Bodensteiner, M. Scheer
The formation of Lewis acid/base stabilised phosphanyltrielanes - A theoretical and experimental study
J. Organomet. Chem. **2006**, *691*, 4556-4564.
130. L. J. Gregoriades, H. Krauss, J. Wachter, A. V. Virovets, M. Sierka, M. Scheer
The Potential of a *cyclo*-As₃ Ligand Complex in Supramolecular Chemistry
Angew. Chem. **2006**, *118*, 4295-4298;
Angew. Chem. Int. Ed. **2006**, *45*, 4189-4192.
131. M. Scheer, L. J. Gregoriades, A. V. Virovets, W. Kunz, R. Neueder, I. Krossing
Reversible Formation of Polymeric Chains by Coordination of Pentaphosphaferrocene with Silver(I) Cations
Angew. Chem. **2006**, *118*, 5818-5822;
Angew. Chem. Int. Ed. **2006**, *45*, 5689-5693.
132. G. Jiang, Y. Li, W. Hua, Y. Song, J. Bai, S. Li, M. Scheer
A supramolecular assembly of $\{\text{Fe}_{10}\}$ molecular wheels with tubular structures
Cryst. Eng. Comm. **2006**, *8*, 384-387.
133. G. Balázs, J. C. Green, M. Scheer
Terminally Coordinated AsS and PS Ligands
Chem. Eur. J. **2006**, *12*, 8603-8608.
134. O. C. Presly, M. Green, J. C. Jeffery, E. Leiner, M. Murray, C. A. Russell, M. Scheer, U. Vogel

- The surprising and stereoselective formation of P_2C_{10} Cages by reduction of Cp^*PCl_2**
Chem. Commun. **2006**, 4542-4544.
135. S. Wang, H. Xing, Y. Li, J. Bai, M. Scheer, X. You;
2D and 3D Cadmium(II) coordination polymers from a flexible tripodal ligand of 1,3,5-Tris(carboxymethoxy)benzene and bidentate pyridyl containing ligands with three-, eight- and ten connected topologies
Eur. J. Inorg. Chem. **2006**, 3041-3053.
136. M. Pronold, M. Scheer, J. Wachter, M. Zabel
Investigation into the Formation of Supramolecular Compounds from Mixed As/S-Ligand Complexes $[(Cp^*Mo)_2As_2S_3]$ ($Cp^* = C_5Me_5$) and Copper Halides
Inorg. Chem. **2007**, *46*, 1396-1400.
137. S. Wang, J. Bai, M. Scheer, X. You
Metal disordering Cu(II) supramolecular polymers constructed from a tripodal ligand possessing two different functional groups
Cryst. Eng. Comm. **2007**, *9*, 228-235.
138. S. Wang, J. Bai, H. Xing, Y. Li, Y. Song, Y. Pan, M. Scheer, X. You
Novel Alternating Ferro-Ferromagnetic Two-Dimensional (4,4) and Photoluminescent Three-Dimensional Interpenetrating PtS-Type Coordination Networks Constructed from a new Flexible Tripodal Ligand as a Four-Connected Node
Cryst. Growth & Design **2007**, *7*, 747-754.
139. A. Adolf, M. Zabel, M. Scheer
Main Group Lewis Acid/Base Stabilised Phosphanylboranes
Eur. J. Inorg. Chem. **2007**, 2136-2143.
140. G. Balázs, L. Gregoriades, M. Scheer
Triple Bonds between Transition Metals and the Heavier Elements of Group 14 and 15
Organometallics **2007**, *26*, 3058-3075.
141. M. Scheer, D. Himmel, B. P. Johnson, C. Kuntz, M. Schiffer
Ring Expansion of a Cp^* Moiety - Formation of a 1,2-Diphosphacyclooctatetraene Ligand
Angew. Chem. **2007**, *119*, 4045-4049;
Angew. Chem. Int. Ed. **2007**, *46*, 3971-3975.
142. M. Scheer, L. J. Gregoriades, M. Zabel, M. Sierka, L. Zhang, H. Eckert
Conformational Analysis of One-Dimensional Coordination Polymers Based on $[Cp_2Cr_2(CO)_4(\mu, \eta^2-P_2)]$ by Solid-State Multinuclear NMR Spectroscopy and DFT Calculations
Eur. J. Inorg. Chem. **2007**, 2775-2782.
143. N. A. Pushkarevsky, S. N. Konchenko and M. Scheer
Synthesis, Structure and Isomerism of the $[Fe_3Pt(\mu_4-Q)(CO)_9(dppm)]$ Clusters ($Q = Se, Te$; $dppm = Ph_2PCH_2PPh_2$)
J. Cluster Science **2007**, *18*, 606-617.
144. S.-N. Wang, H. Xing, Y.-Z. Li, J. Bai, M. Scheer, Y. Pan, X.-Z. You
Unprecedented interweaving of single-helical and unequal double-helical chains into metal-organic open frameworks with multi-walled tubular structures
Chem. Commun. **2007**, 2293-2295.
145. L. J. Gregoriades, G. Balázs, E. Brunner, C. Gröger, J. Wachter, M. Zabel, M. Scheer
An Unusual Building Block for Supramolecular Aggregates: the Mixed Group 15/16 Element Ligand Complex $[(Cp^*Mo)_2(\mu, \eta^3-P_3)(\mu, \eta^2-PS)]$

- Angew. Chem.* **2007**, *119*, 6070-6074;
Angew. Chem. Int. Ed. **2007**, *46*, 5966-5970.
146. S. Wang, Y. Yang, J. Bai, Y.-Z. Li, M. Scheer, Y. Pan, X.-Z. You
An unprecedented nanoporous and fluorescent supramolecular framework with an SrAl₂ topology controllably synthesized from a flexible ditopic acid
Chem. Commun. **2007**, 4416-4418.
147. A. Biegerl, E. Brunner, C. Gröger, M. Scheer, J. Wachter, M. Zabel
The unexpected versatility of P₄S₃ as building block in polymeric copper halide networks: 2,3-P, 1,2,3-P and all-P coordination
Chem. Eur. J. **2007**, *13*, 9270-9276.
148. M. Scheer, A. Schindler, R. Merkle, B. P. Johnson, M. Linseis, R. Winter, C. E. Anson, A. V. Virovets
Fullerene C₆₀ as an Endohedral Molecule within an Inorganic Supramolecule
J. Am. Chem. Soc. **2007**, *129*, 13386-13387.
149. U. Vogel, J. F. Nixon, M. Scheer
Cu(I) mediated Oligomerisation of a Phosphaalkyne
Chem. Commun. **2007**, 5055-5057.
150. S. Welsch, L. J. Gregoriades, M. Sierka, M. Zabel, A. V. Virovets, M. Scheer
Unusual Coordination Behaviour of P_n-Ligand Complexes with Tl⁺
Angew. Chem. **2007**, *119*, 9483-9487;
Angew. Chem. Int. Ed. **2007**, *46*, 9323-9326.
151. S. Wang, R. Sun, X. Wang, Y. Li, Y. Pan, J. Bai, M. Scheer and X. You
Versatile lanthanide coordination assemblies due to the synergistic effect of lanthanide contraction and flexibility of a flexible tricarboxylate ligand
Cryst. Eng. Comm., **2007**, *9*, 1051-1061.
152. S. Wang, J. Bai, Y. Li, Y. Pan, M. Scheer and X. You
Synthesis, structures and properties of nickel(II) and cobalt(II) metal-organic frameworks based on a flexible tricarboxylate ligand H₃TTG and different pyridyl-containing ligands
Cryst. Eng. Comm., **2007**, *9*, 1084-1095.
153. M. Scheer
The Coordination Chemistry of Group 15 Element Ligand Complexes - A Developing Area
Dalton Trans., **2008**, 4372-4386.
154. K. Schwan, A. Adolf, M. Bodensteiner, M. Zabel, M. Scheer
Synthesis and Crystal Structures of novel Cu(I) Complexes of a Phosphanylborane
Z. Anorg. Allg. Chem. **2008**, *634*, 1383-1387.
155. S. Welsch, C. Lescop, M. Scheer, R. Réau
A Paradigm in the Directional-Bonding Approach: Bimetallic Molecular Clips with Adaptive Coordination Behaviour for Supramolecular Chemistry
Inorg. Chem. **2008**, *47*, 8592-8594.
156. A. Adolf, U. Vogel, M. Zabel, A. Y. Timoshkin, M. Scheer
N-Heterocyclic Carbenes in Lewis-acid/base Stabilised Phosphanylboranes
Eur. J. Inorg. Chem. **2008**, 3482-3492.
157. L. Chen, J. Bai, C. Wang, Y. Pan, M. Scheer, X. You
One-step solid-state thermolysis of a metal-organic framework: a simple and facile route to large-scale of multi-walled carbon nanotubes
Chem. Commun. **2008**, 1581-1583.

158. B. Zheng, H. Dong, J. Bai, Y. Li, S. Li, M. Scheer
Temperature Controlled Reversible Change of the Coordination Modes of the Highly Symmetrical Multitopic Ligand To Construct Coordination Assemblies: Experimental and Theoretical Studies
J. Am. Chem. Soc. **2008**, *130*, 7778-7779.
159. M. H. Chisholm, A. S. Dann, F. Dielmann, J. C. Gallucci, N. J. Patmore, R. Ramnauth, M. Scheer
Dimolybdenum bis-triisopropyl-2,4,6-benzoate bis-4-isonicotinamate: A Redox Active Analogue of 4,4'-Bipyridine
Inorg. Chem. **2008**, *47*, 9248-9255.
160. S. Deng, C. Schwarzmaier, C. Eichhorn, O. J. Scherer, G. Wolmershäuser, M. Zabel, M. Scheer
Synthesis and unprecedented coordination behaviour of a novel 1,2,3-triphosphaferrocene
Chem. Commun. **2008**, 4064-4066.
161. M. Scheer, D. Himmel, C. Kuntz, S. Zhan, E. Leiner
Transition Metal-Phosphorus Triple Bond Reactivity Towards Triply Bonded [CpMo(CO)₂] - Formation of Novel Heteronuclear Cluster Compounds
Chem. Eur. J. **2008**, *14*, 9020-9029.
162. K. Schwan, A. Adolf, C. Thoms, M. Zabel, A. Y. Timoshkin, M. Scheer
Selective halogenation at the pnictogen atom in the Lewis-acid/base-stabilised phosphanylboranes
Dalton Trans. **2008**, 5054-5058.
163. S. Deng, U. Vogel, M. Zabel, J. F. Nixon, M. Scheer
Unexpected differences in the coordination behaviour of 1,2,4-triphosphaferrocenes towards Cu(I) chloride
Eur. J. Inorg. Chem. **2008**, 4870-4874.
164. N. A. Pushkarevsky, D. A. Bashirov, A. V. Litke, A. V. Virovets, N. V. Kurateva, M. Scheer, S. N. Konchenko
Isolobal Replacement of the Metal Fragment in [Fe₃(μ₃-Q)(μ₃-AsCH₃)(CO)₉] (Q = Se and Te): Synthesis and Structures of a Number of Fe-Ir and Fe-Rh Clusters Simultaneously Containing a Chalcogen and Arsenic
Russ. J. Coord. Chem. **2008**, *34*, 871-883.
165. M. Scheer, L. J. Gregoriades, M. Zabel, J. Bai, I. Krossing, G. Brunklaus, H. Eckert
Self-Assemblies Based on [Cp₂Mo₂(CO)₄(μ,η²-P₂)] - Solid State Structure and Dynamic Behaviour in Solution
Chem. Eur. J. **2008**, *14*, 282-295.
166. M. Scheer, L. J. Gregoriades, R. Merkle, B. P. Johnson, F. Dielmann
Formation of Spherical Giant Molecules and Dynamic Behaviour of Supramolecular Assemblies Based on P_n-Ligand Complexes
Phosphorus, Sulfur, Silicon and the Related Elements **2008**, *183*, 504-508.
167. F. Dielmann, R. Merkle, S. Heinl, M. Scheer
New Pentaphosphaferrocenes
Z. Naturforsch. **2009**, *64b*, 3-10.
168. S. Deng, C. Schwarzmaier, M. Zabel, J. F. Nixon, A. Y. Timoshkin, M. Scheer
Coordination Behaviour of the 1, 2, 3 -Triphosphaferrocene [Cp^{'''}Fe(η⁵-P₃C₂(H)Ph)] with Organometallic Moieties
Organometallics **2009**, *28*, 1075-1081.
169. M. Scheer, C. Kuntz, M. Stubenhofer, M. Linseis, R. F. Winter, M. Sierka
The complexed Triphosphaallyl Radical, Cation and Anion Family

- Angew. Chem.* **2009**, *121*, 2638-2642;
Angew. Chem. Int. Ed. **2009**, *48*, 2600-2604.
170. M. Scheer, A. Schindler, C. Gröger, A. V. Virovets, E. V. Peresyphkina
A spherical molecule with a carbon-free I_h-C₈₀ topological framework
Angew. Chem. **2009**, *121*, 5148-5151;
Angew. Chem. Int. Ed. **2009**, *48*, 5046-5049.
171. M. Stubenhofer, C. Kuntz, G. Balázs, M. Zabel, M. Scheer
1,2,3-Triphospole derivatives as reactive intermediates
Chem. Commun. **2009**, 1745-1747.
172. K. Schwan, U. Vogel, M. Zabel, M. Scheer
Halogenation of Lewis acid/base stabilised Phosphanylboranes
J. Organomet. Chem. **2009**, *694*, 1189-1194.
173. A. Schindler, M. Zabel, J. F. Nixon, M. Scheer
Hexaphosphaferrocene [Fe(η^5 -P₃C₂^tBu₂)₂] as a connecting moiety in oligomeric and polymeric compounds
Z. Naturforsch. **2009**, *64b*, 1429-1437.
174. L. J. Gregoriades, B. K. Wegley, M. Sierka, E. Brunner, C. Gröger, E. V. Peresyphkina, A. V. Virovets, M. Zabel, M. Scheer
One-Dimensional Polymers Based on Silver(I) Cations and Organometallic *cyclo*-P₃ Ligand Complexes
Chem. Asian J. **2009**, *4*, 1578-1587.
175. M. Bodensteiner, U. Vogel, A. Y. Timoshkin, M. Scheer
Controlled oligomerisation of Lewis acid/base stabilised phosphanylalanes
Angew. Chem. **2009**, *121*, 4700-4704;
Angew. Chem. Int. Ed. **2009**, *48*, 4629-4633.
176. S. Welsch, B. Nohra, E. V. Peresyphkina, C. Lescop, M. Scheer, R. Réau
Chemistry of Bridging Phosphanes: A Comparative Study within Cu^I-Ag^I-Au^I Triad-based Homonuclear-dimers
Chem. Eur. J. **2009**, *15*, 4685-4703.
177. S. Welsch, C. Lescop, R. Réau, M. Scheer
Mono-, di- and polymetallic Tl^I complexes stabilised by a 2,5-bis(2-pyridyl)-1-phenyl-phosphole ligand
Dalton Trans. **2009**, 2683-2686.
178. M. Scheer, A. Schindler, J. Bai, B. P. Johnson, R. Merkle, R. Winter, A. V. Virovets, E. V. Peresyphkina, V. A. Blatov, M. Sierka, H. Eckert
Structures and Properties of Spherical 90-Vertex Fullerene-like Nanoballs
Chem. Eur. J., **2010**, *16*, 2092-2107.
179. B. P. Johnson, S. Almstätter, F. Dielmann, M. Bodensteiner, M. Scheer
Synthesis and Reactivity of Low-Valent Group 14 Element Compounds
Z. Anorg. Allg. Chem. **2010**, *636*, 1275-1285.
180. M. Scheer, G. Balázs, A. Seitz
P₄ Activation by Main Group Elements and Compounds
Chem. Rev. **2010**, *210*, 4236-4256.
181. M. Stubenhofer, M. Bodensteiner, C. Kuntz, U. Zenneck, M. Sierka, M. Scheer
The Complexed 1,3-Diphospha-2-Arsa-Allyl Radical and its Cationic and Anionic Derivatives
Chem. Eur. J. **2010**, *16*, 7488-7495.
182. F. Dielmann, M. Sierka, A. V. Virovets, M. Scheer
Access to Extended Polyphosphorus Frameworks

- Angew. Chem.* **2010**, *122*, 7012 - 7016;
Angew. Chem. Int. Ed. **2010**, *49*, 6860-6864.
183. H. Krauss, G. Balázs, M. Bodensteiner, M. Scheer
The Potential of a *cyclo*-As₅ Ligand Complex in Coordination Chemistry
Chem. Sci. **2010**, *1*, 337-342.
184. A. Schindler, G. Balázs, M. Zabel, C. Gröger, R. Kalbitzer, M. Scheer
Coordination Chemistry of [Cp*Fe(η^5 -P₃C₂^tBu₂)] (Cp* = η^5 -C₅Me₅) with Copper(I) Halides - Formation of Oligomeric and Polymeric Compounds
C. R. Chimie **2010**, *13*, 1241-1248.
185. C. Dreher, M. Zabel, M. Bodensteiner, M. Scheer
[(CO)₄W(PH₃)₂] as a source of semi-interstitial phosphorous ligands in cobalt carbonyl clusters
Organometallics **2010**, *29*, 5187-5191.
186. M. Bodensteiner, M. Dušek, M. M. Kubicki, M. Pronold, M. Scheer, J. Wachter, M. Zabel
A New Building Block for Organometallic-Inorganic Hybrid Polymers: The Mixed Group 15/16 Element Ligand Complex [Cp*₂Mo₂(μ , $\eta^{2:2}$ -PSe)₂(μ -Se)] (Cp* = η^5 -C₅Me₅)
Eur. J. Inorg. Chem. **2010**, 5298-5303.
187. Stefan Welsch, Michael Bodensteiner, Michal Dušek, Marek Sierka, Manfred Scheer
A Novel Soluble In^I Precursor for Pn Ligand Coordination Chemistry
Chem. Eur. J. **2010**, *16*, 13041-13045.
188. C. Trinh, M. Bodensteiner, A. V. Virovets, E. V. Peresyphkina, M. Scheer, S. M. Matveev, A. Y. Timoshkin
Chelating ionic versus bridged molecular structures of group 13 metal complexes with bidentate ligands
Polyhedron **2010**, *29*, 414-424.
189. I. Blokhin, A. A. Pasynskii, Yu. V. Torubaev and M. Scheer
Trichlorostannyl and Tris(phenylacetylenide)stannyl Complexes of Manganese Cyclopentadienylcarbonylnitrosyl: Synthesis and Molecular Structures
Russ. J. Coord. Chem., **2010**, *36*, 284-288
190. M. Scheer, C. Kuntz, M. Stubenhofer, M. Zabel, A. Y. Timoshkin
Stepwise Expansion of a Cp*-Ring at Pentelidene Complexes and Stereoselective Formation of Triphosphines
Angew. Chem. **2010**, *122*, 192-196;
Angew. Chem. Int. Ed. **2010**, *49*, 188-192.
191. C. Gröger, H. R. Kalbitzer, W. Meier, M. Pronold, M. Scheer, J. Wachter, M. Zabel
Supramolecular Copper Halide Networks using the Coordinate Flexibility of the *cyclo*-P₂S₃ Middle Deck in (C₅Me₅)₂Mo₂P₂S₃
Inorg. Chim. Acta **2011**, *370*, 191-197.
192. C. Gröger, H. R. Kalbitzer, M. Pronold, D. Piryazev, M. Scheer, J. Wachter, A. Virovets, M. Zabel
Novel Metal-Organic Frameworks Incorporating [Cp^o₂Mo₂P₄S] (Cp^o = 1-*t*-Bu-3,4-Me₂C₅H₂), P₄S₃ and Cu₂I₂ Building Blocks
Eur. J. Inorg. Chem. **2011**, 785-793.
193. S. Welsch, C. Gröger, M. Sierka, M. Scheer
Organometallic Nano-sized Capsule Consisting of *cyclo*-P₅ Units and Cu(I) Ions
Angew. Chem. **2011**, *123*, 1471-1474;
Angew. Chem. Int. Ed., **2011**, *50*, 1435-1438.

194. N. A. Pushkarevsky, S. N. Konchenko, M. Zabel, M. Bodensteiner, M. Scheer
Dimerization of pentanuclear clusters [Fe₃Q(AsMe)(CO)₉] (Q = Se, Te) as conversion pathway to novel cubane-like aggregates
Dalton Trans. **2011**, 40, 2067-2074.
195. S. Welsch, C. Lescop, G. Balázs, R. Réau, M. Scheer
Simultaneous end-on/side-on coordination modes of a diphosporous tetrahedral complex imposed by pre-organization of oligometallic Cu(I) acceptors
Chem. Eur. J. **2011**, 17, 9130-9141.
196. S. Deng, Ch. Schwarzmaier, M. Zabel, J. F. Nixon, M. Bodensteiner, E. V. Peresytkina, G. Balázs, and M. Scheer
Remarkable Differences in the Coordination Chemistry of Structurally Related 1,2,4-Triphosphaferrocenes with Copper(I) Halides and Silver(I) Salts
Eur. J. Inorg. Chem. **2011**, 2067-2074.
197. Ch. Schwarzmaier, A. Noor, G. Glatz, M. Zabel, A. Y. Timoshkin, B. M. Cossairt, C. C. Cummins, R. Kempe and M. Scheer
Formation of cyclo-E₄²⁻ units (E₄ = P₄, As₄, AsP₃) by a quintuply bonded dichromium complex
Angew. Chem. **2011**, 123, 7421-7424.
Angew. Chem. Int. Ed. **2011**, 50, 7283-7286.
198. J. Wachter, A. Biegerl, M. Scheer, M. Zabel, D. Piryazev and A. Virovets
P₄S₃ and P,P' or N,N' donors as competitive building blocks in copper(I) coordination polymers
Eur. J. Inorg. Chem. **2011**, 4248 - 4255.
199. S. A. Sulway, R. A. Layfield, M. Bodensteiner, S. Scheuermayer, M. Scheer and M. Zabel
Benzotriazolite cage complexes of tin(II) and lithium: halide-influenced serendipitous assembly
Dalton Trans. **2011**, 40, 7559 - 7563.
200. U. Vogel, M. Eberl, M. Eckhardt, A. Seitz, E. Rummel, A. Y. Timoshkin, E. V. Peresytkina and M. Scheer
Access to phosphorus-rich zirconium complexes
Angew. Chem. **2011**, 123, 9144 - 9148.
Angew. Chem. Int. Ed. **2011**, 50, 8982 - 8985.
201. T. Li, J. Wiecko, N. A. Pushkarevsky, M. T. Gamer, R. Köppe, S. N. Konchenko, M. Scheer, P. W. Roesky
Mixed Metal Lanthanide-Iron Triple-Decker Complexes with a cyclo-P₅ Building Block
Angew. Chem. **2011**, 123, 9663 - 9667.
Angew. Chem. Int. Ed. **2011**, 50, 9491 - 9495.
202. R. A. Layfield, J. J. W. McDouall, M. Scheer, C. Schwarzmaier and F. Tuna
Structure and Bonding in three-coordinate N-heterocyclic carbene adducts of iron(II) bis(trimethylsilyl)amide
Chem. Comm. **2011**47, 10623 - 10625.
203. A. Y. Timoshkin, I. V. Kazakov, A. S. Lisovenko, M. Bodensteiner, and M. Scheer
Fast H/D exchange between B,B',B''-tribromoborazine and C₆D₆ in presence of aluminum tribromide: first evidence for the electrophilic substitution in borazines in solution
Inorg. Chem. **2011**, 50, 9039 - 9044.
204. S. Almstätter, G. Balázs, M. Bodensteiner and M. Scheer

- Germanium/Phosphorus Cage Compounds with Germanium in Three Different Oxidation States**
Chem. Comm. **2011**, 47, 9998 – 10000.
205. S. S. Sen, J. Hey, M. Eckhardt, R. Herbst-Irmer, R. A. Mata, H. W. Roesky, M. Scheer, D. Stalke
Heavier Analogue of the Cyclopentadienyl Cation: Stable Planar CSi₃P Five-Membered Ring
Angew. Chem. **2011**, 123, 12718 – 12721.
Angew. Chem. Int. Ed. **2011**, 50, 12510-12513.
206. B. Attenberger, S. Welsch, M. Zabel, E. Peresyphkina and M. Scheer
Diphosphorus complexes as building blocks for the design of P-containing organometallicorganic hybrid materials
Angew. Chem. **2011**, 123, 11718 – 11722.
Angew. Chem. **2011**, 50, 11516 – 11519.
207. A. Y. Timoshkin, M. Bodensteiner, T. N. Sevastianova, A. S. Lisovenko, E. I. Davydova, M. Scheer, C. Grassl, A. V. Butlak,
Do the solid state structures reflect Lewis acidity trends of heavier group 13 trihalides? Experimental and theoretical case study
Inorg. Chem. **2012**, 724, 75-81.
208. A. Schindler, C. Heindl, G. Balázs, C. Gröger, A. V. Virovets, E. V. Peresyphkina and M. Scheer
Size-determining dependencies in supramolecular organometallic host-guest chemistry
Chem. Eur. J. **2012**, 18, 829 - 835
209. F. Dielmann, A. Schindler, S. Scheuermayer, J. Bai, R. Merkle, M. Zabel, A. V. Virovets, E. V. Peresyphkina, G. Bruncklaus, H. Eckert and M. Scheer
Coordination Polymers Based on [Cp*Fe(η^5 -P₃)]-Solid-State Structure and MAS NMR Studies
Chem. Eur. J. **2012**, 18, 1168-1179
210. **Author Profile: M. Scheer**
Angew. Chem. **2012**, 124, 1790 – 1791.
Angew. Chem. Int. Ed. **2012**, 51, 1756 – 1757.
211. W. Meier, Y. Mugnier, P. Schwarz, M. Scheer, J. Wachter, M. Zabel
Fragmentation reactions of Realgar caused by Early Transition Metal Hydrides
Inorg. Chim. Acta **2012**, 386, 50 – 55.
212. M. Stubenhofer, G. Lassandro, G. Balázs, A. Y. Timoshkin, M. Scheer
Stepwise Activation of „Non-innocent“ Cp* Substituents – A Cp* Based Cascade Reaction
Chem. Commun. **2012**, 48, 7262 - 7264.
213. S. Scheuermayer, F. Tuna, M. Bodensteiner, A. Timoshkin, M. Scheer, R. A. Layfield
Spin crossover in phosphorus- and arsenic-bridged cyclopentadienylmanganese(II) dimers
Chem. Commun. **2012**, 48, 8087-8089.
214. S. Almstätter, M. Eberl, G. Balázs, M. Bodensteiner, M. Scheer
Cage Compounds of Phosphorus and the Heavier group 14 Elements

- Z. Anorg. Allg. Chem.* **2012**, 1736-1745
215. M. Fleischmann, C. Heindl, M. Seidl, G. Balázs, A. V. Virovets, E. V. Peresyphkina, M. Tsunoda, F. P. Gabbai, M. Scheer
Duscrete and extended supersandwiches based on weak interactions between phosphorus and mercury
Angew. Chem. **2012**, 124, 10056-10059.
Angew. Chem. Int. Ed. **2012**, 51, 9918-9921.
216. I. Yu. Ilyina, N. A. Pushkarevsky, S. S. Shapovalov, A. A. Pasynskii, S. N. Konchenko, M. Scheer, E. Yu. Semitut, P. E. Plyusnin, A. V. Alekseev, D. Yu. Naumov, A. V. Virovets
Chalcogen Arsenide Clusters of Iron with a Functional Carboxyl group: Synthesis, Structures, and Thermolysis
Russian Journal of Coordination Chemistry, **2012**, 38, 662-670
217. G. Balázs, A. Seitz and Manfred Scheer
Activation of White (P₄) Phosphorus by Main Group Elements and Compounds
Comprehensive Inorganic Chemistry II, **2013**, 1105-1132.
218. M. Bodensteiner, A. Y. Timoshkin, E. V. Peresyphkina, U. Vogel, M. Scheer
Selective Dimerization of Lewis acid/base stabilized Phosphanylalanes
Chem. Eur. J. **2013**, 19, 957–963.
219. A. Blokhin, A. Pasynskii, M. Scheer, A. Virovets, Y. Torubaev
Synthesis and Molecular Structure of Mixed-Metal Stannylene Derivatives of Cyclopentadienyl(nitrosyl)(carbonyl) manganese
J. Organomet. Chem. **2013**, 724, 75-81.
220. C. Schwarzmaier, M. Sierka, M. Scheer
Intact As₄ tetrahedra, side-on coordinated to Metal Cations
Angew. Chem. **2012**, 124, 891 – 894.
Angew. Chem. Int. Ed. **2012**, 52, 858 – 861
221. M. V. Butovskii, G. Balázs, M. Bodensteiner, E. V. Peresyphkina, A. V. Virovets, M. Scheer
Ferrocene and Pentaphosphaferrocene – A comparative Study regarding Redoxchemistry
Angew. Chem. **2013**, 125, 3045–3049.
Angew. Chem. Int. Ed. **2012**, 52, 2972–2976 .
222. T. Li, M. T. Gamer, M. Scheer, S. N. Konchenko, P. W. Roesky
P–P Bond Formation via Reductive Dimerization of [Cp*Fe(η⁵-P₅)] by Divalent Samarocenes
Chem. Commun. **2013**, 49, 2183 - 2185.
223. N. A. Pushkarevsky, S. N. Konchenko, A. V. Virovets, M. Scheer
Transformation of a P bound Cp* moiety in the coordination sphere of manganese carbonyl complexes
Organometallics **2013**, 32, 770 – 779.
224. S. Scheuermayer, F. Tuna, E. M. Pineda, M. Bodensteiner, M. Scheer, R. A. Layfield
Transmetalation of chromocene by lithium-amide,-phosphide and -arsenide nucleophiles
Inorg. Chem. **2013**, 52, 3878 – 3883.
225. C. Thoms, C. Marquardt, A. Y. Timoshkin, M. Bodensteiner, M. Scheer
The Oligomerization of Phosphinoborane by Titanium Complexes
Angew. Chem. **2013**, 125, 5254 – 5259.
Angew. Chem. Int. Ed. **2013**, 52, 5150 – 5154.

226. C. Schwarzmaier, A. Y. Timoshkin, M. Scheer
End-on coordinated As₄ Tetrahedron
Angew. Chem. **2013**, *125*, 7751 – 7755.
Angew. Chem. Int. Ed. **2013**, *52*, 7600 – 7603.
227. C. Marquardt, A. Adolf, A. Stauber, M. Bodensteiner, A. V. Virovets, A. Y. Timoshkin, M. Scheer
The Lewis Base Stabilized Parent Arsanylborane H₂AsBH₂·NMe₃
Chem. Eur. J. **2013**, *19*, 11887 – 11891.
228. T. N. Sevastianova, M. Bodensteiner, A. S. Lisovenko, E. I. Davydova, M. Scheer, T. V. Susliakova, I. S. Krasnova, A. Y. Timoshkin
Structural and thermodynamic properties of molecular complexes of aluminum and gallium trihalides with bidentate donor pyrazine: decisive role of Lewis acidity on 1D polymer formation
Dalton Trans. **2013**, *42*, 11589 – 11599.
229. M. Stubenhofer, C. Kuntz, M. Bodensteiner, A. Y. Timoshkin, M. Scheer
Versatile reactivity of bridged pentelidene complexes towards secondary and tertiary phosphines
Organometallics **2013**, *32*, 3521 – 3528.
230. C. Schwarzmaier, A. Schindler, C. Heindl, S. Scheuermayer, E. V. Peresyphkina, A. V. Virovets, M. Neumeier, R. Gschwind, M. Scheer
Stabilization of tetrahedral E₄ molecules (E = P, As) as guests in polymeric and spherical environments
Angew. Chem. **2013**, *125*, 11097 – 11100.
Angew. Chem. Int. Ed. **2013**, *52*, 10896 – 10899.
231. M. Seidl, M. Schiffer, M. Bodensteiner, A. Y. Timoshkin, M. Scheer
Reactivity of bridged Pentelidene Complexes with isonitriles – A novel way to Pentel-containing heterocycle
Chem. Eur. J. **2013**, *19*, 13783 – 13791.
232. T. Li, N. Arleth, M. T. Gamer, R. Köppe, T. Augenstein, F. Dielmann, M. Scheer, S. N. Konchenko, P. W. Roesky
Intramolecular Phosphorus-Phosphorus Bonds Formation within a Co₂P₄ Core
Inorg. Chem. **2013**, *52*, 14231-14236.
233. I. V. Kazakov, M. Bodensteiner, A. S. Lisovenko, A. V. Suvorov, M. Scheer, A. Y. Timoshkin
Structures and stability of molecular InBr₃Py_x (x = 1-3) complexes: unexpected solid state stabilization of dimeric In₂Br₆Py₄ as compared to valence isoelectronic group 15 and 17 halogen bridging dimers
Inorg. Chem. **2013**, *52*, 13207-13215.
234. C. Dreher, W-S. Ojo, S. Bauer, S. Xu, M. Zabel, H. Virieux, B. Chaudret, L-M. Lacroix, M. Scheer, C. Nayral, F. Delpech
Stoichiometry-controlled FeP nanoparticles from single source precursor
Chem. Comm. **2013**, *49*, 11788-11790.
235. S. Heintl, E. Peresyphkina, A. Y. Timoshkin, P. Mastorilli, V. Gallo, M. Scheer
Intact P₄ Tetrahedra as Terminal and Bridging Ligands in Neutral Complexes of Manganese
Angew. Chem. **2013**, *125*, 11087 – 11091.
Angew. Chem. Int. Ed. **2013**, *52*, 10887 – 10891.
236. C. Schwarzmaier, M. Bodensteiner, A. Y. Timoshkin, M. Scheer
An approach to mixed P_nAs_m-ligand complexes

- Angew. Chem.* **2014**, *12*, 295-299.
Angew. Chem. Int. Ed. **2014**, *53*, 290-293.
237. E.-M. Rummel, M. Eckhardt, M. Bodensteiner, E. V. Peresyphkina, M. Scheer
Formation of 1,3-Diphosphacyclobutadiene Complexes by Phosphaalkynes and their Coordination Behaviour
Eur. J. Inorg. Chem. **2014**, *10*, 1625 - 1637.
238. I. V. Kasakov, M. Seidl, M. Scheer, A.Y. Timoshkin
Structure and vaporization of a gallium tribromide aminomethylpyridine complex
Russ. J. Inorg. Chem. **2014**, *59*, 232-236.
239. M. Fleischmann, S. Welsch, H. Krauss, M. Schmidt, M. Bodensteiner, E. V. Peresyphkina, M. Sierka, C. Gröger, M. Scheer
Complexes of Monocationic Group 13 Elements with Pentaphospha- and Pentaarsaferrocene
Chem. Eur. J. **2014**, *20*, 3759-3768.
240. C. Marquardt, C. Thoms, A. Stauber, G. Balázs, M. Bodensteiner, M. Scheer
Cationic Chains of Phosphanyl- and Arsanylboranes
Angew. Chem. **2014**, *126*, 3801-3804.
Angew. Chem. Int. Ed. **2014**, *53*, 3727-3730.
241. S. Heintl, G. Balázs, M. Scheer
The superbulyk P_n ligand complexes [Cp^{BIG}Fe(η⁵-P₅)] and [(Cp^{BIG}Fe)₂(μ,η^{4:4}-P₄)] – Synthesis and characterization
Phosphorus, Sulfur, Silicon and Relat. Elem. **2014**, *189*, 1-9.
242. B. M. Gardner, G. Balázs, M. Scheer,* F. Tuna, E. J. L. McInnes, J. McMaster, W. Lewis, A. J. Blake, S. T. Liddle*
Triamidoamine-Uranium(IV)-Stabilized Terminal Parent Phosphide and Phosphinidene Complexes
Angew. Chem. **2014**, *126*, 4573-4577.
Angew. Chem. Int. Ed. **2014**, *53*, 4484-4488.
243. S. Reisinger, M. Bodensteiner, E. M. Pineda, J. J. W. McDouall, M. Scheer, R. A. Layfield
Addition of pnictogen atoms to chromium(II): synthesis, structure and magnetic properties of a chromium(IV) phosphide and a chromium(III) arsenide
Chem. Sci. **2014**, *5*, 2443-2448.
244. S. Heintl, S. Reisinger, C. Schwarzmaier, M. Scheer
Selective functionalization of P₄ by metal mediated C–P bond formation
Angew. Chem. **2014**, *126*, 7769-7773.
Angew. Chem. Int. Ed. **2014**, *53*, 7639-7642.
245. E. Mädl, M. V. Butovskii, G. Balázs, E. V. Peresyphkina, A. V. Virovets, M. Seidl, M. Scheer
Functionalization of a cyclo-P₅ ligand by main group nucleophiles
Angew. Chem. **2014**, *126*, 7774-7777.
Angew. Chem. Int. Ed. **2014**, *53*, 7643-7646.
246. C. Heindl, S. Heintl, D. Lüdeker, G. Brunklaus, W. Kremer, M. Scheer
Novel polymeric aggregates of pentaphosphaferrocenes and monocationic coinage metal salts - Synthesis of [{Cp*Fe(η⁵-P₅)}{Cu(GaCl₄)}₂]_n and [{Cp^{BIG}Fe(η⁵-P₅)}Ag]_n[Al(OC(CF₃)₃)₄]_n
Inorg Chim. Acta **2014**, *422*, 218-223.

247. E. V. Peresyphkina, C. Heindl, A. Schindler, M. Bo, W. Kremer, M. Scheer
Crystal structure of a giant supramolecule encapsulating α -Carborane
Z. Krist. **2014**, *229*, 735-740.
248. S. Heidl, M. Scheer
Low temperature of S₈, Se_{red} and α -Te with [Cp^{BIG}Fe(CO)₂] radicals
Dalton Trans. **2014**, *43*, 16139-16142.
249. S. Heidl, M. Scheer
Activation of group 15 based cage compounds by [Cp^{BIG}Fe(CO)₂] radicals
Chem. Sci. **2014**, *5*, 3221-3225.
250. C. Schwarzmaier, A. Y. Timoshkin, G. Balázs, M. Scheer
Selective formation and unusual reactivity of tetraarsa-bicyclo[1.1.0]butane complexes
Angew. Chem. **2014**, *126*, 9223-9227.
Angew. Chem. Int. Ed. **2014**, *53*, 9077-9081.
251. S. Bauer, C. Hunger, M. Bodensteiner, A. Cros-Gagneux, W.-S. Ojo, B. Chaudret, C. Nayral, F. Delpech, M. Scheer
Transition metal complexes containing parent phosphine or phosphinyl ligands and their use as precursors for phosphide nanoparticles
Inorg. Chem. **2014**, *53*, 11438-11446.
252. F. Dielmann, C. Heindl, F. Hastreiter, E. V. Peresyphkina, A. V. Virovets, R. M. Gschwind, M. Scheer
A nanosized supramolecule beyond fullerene-topology
Angew. Chem. **2014**, *126*, 13823-13827.
Angew. Chem. Int. Ed. **2014**, *53*, 13605-13608.
253. M. Fleischmann, S. Welsch, L. J. Gregoriades, C. Gröger, M. Scheer
Supramolecular assemblies of polyphosphorus ligands based on Tl-P and In-P interactions
Z. Naturforsch B. **2014**, *69B*, 1348-1356.
254. M. Fleischmann, J. S. Jones, F. P. Gabbai, M. Scheer
A comparative study of the coordination behavior of *cyclo*-P₅ and *cyclo*-As₅ ligand complexes towards the trinuclear Lewis acid complex (perfluoro-*ortho*-phenylene)mercury
Chem. Sci. **2015**, *6*, 132-139.
255. C. Graßl, M. Bodensteiner, M. Zabel, M. Scheer
Synthesis of arsenic rich As_n-ligand complexes from yellow arsenic
Chem. Sci. **2015**, *6*, 1379-1382.
Highlighted in *Nachr. Chem.* 4/2015
256. C. Heindl, A. Schindler, M. Bodensteiner, E. V. Peresyphkina, A. V. Virovets, M. Scheer
Synthesis and characterization of the novel 1,2,4-Triphosphaferrocene [Cp*Fe(η^5 -P₃C₂Mes₂)] containing sterically demanding mesityl groups
Phosphorus, Sulfur, Silicon and Relat. Elem. **2015**, *190*, 397-403.
257. M. Seidl, C. Kuntz, M. Bodensteiner, A. Y. Timoshkin, M. Scheer
Reaction of pentelidene complexes with carbodiimides and alkyl azides - A straightforward way to four membered heterocycles
Angew. Chem. **2015**, *127*, 2810-2814.
Angew. Chem. Int. Ed. **2015**, *54*, 2771-2775.
258. F. Spitzer, M. Sierka, M. Latronico, P. Mastrorilli, A. V. Virovets, M. Scheer
Fixation and release of intact E₄ tetrahedra (E = P, As)
Angew. Chem. **2015**, *127*, 4467-4472.

- Angew. Chem. Int. Ed.* **2015**, *54*, 4392-4396.
259. M. Fleischmann, L. Dütsch, M. Elsayed Moussa, A. Schindler, G. Balász, C. Lescop*, M. Scheer*
Organometallic polyphosphorus and -arsenic ligands as linkers between pre-assembled linear Cu^I-fragments
Chem. Comm. **2015**, *51*, 2893-2895.
260. F. Dielmann, M. Fleischmann, C. Heindl, E. V. Peresyphkina, A. V. Virovets, R. M. Gschwind, M. Scheer
Tunable porosities and shape of fullerene-like spheres
Chem. Eur. J. **2015**, *21*, 6208-6214.
261. B. M. Gardner, G. Balázs, M. Scheer, F. Tuna, E. J. L. McInnes, J. McMaster, W. Lewis, A. J. Blake, S. T. Liddle
Triamidoamine Uranium-Arsenic complexes containing single [U-AsH₂], double [U=AsH] and triple [U≡AsK₂] bonding
Nat. Chem. **2015**, *7*, 582-590.
262. C. Heindl, A. Kuntz, E. V. Peresyphkina, A. V. Virovets, M. Zabel, D. Lüdeker, G. Brunklaus, M. Scheer
Unexpected fragmentations of Triphosphaferrocene - Formation of supramolecular assemblies containing the (1,2,4-P₃C₂Mes₂)-ligand
Dalton Trans. **2015**, *44*, 6502-6509.
263. C. Heindl, E. V. Peresyphkina, A. V. Virovets, V. Yu. Komarov, M. Scheer
1,2,4-Triphospholyl Anions - Versatile building blocks for the formation of 1D, 2D and 3D assemblies
Dalton Trans. **2015**, *44*, 10245 - 10252.
264. B. Attenberger, M. Elsayed Moussa, T. Brietzke, V. Vreshch, H.-J. Holdt, C. Lesop*, M. Scheer*
Discrete polymetallic arrangements of AgI and CuI ions based on multiple bridging phosphane ligands and π-π interactions
Eur. J. Inorg. Chem. **2015**, 2934-2938.
265. B. Attenberger, E. V. Peresyphkina, M. Scheer
Novel two- and three-dimensional organometallic organic hybrid materials based on polyphosphorus complexes
Inorg. Chem. **2015**, *54*, 7021-7029.
266. C. Marquardt, T. Jurca, K.-C. Schwan, A. Stauber, A. V. Virovets, G. R. Whittell, I. Manners, M. Scheer
Metal-free addition/head-to-tail polymerization of transient phosphinoboranes RPH-BH₂: A route to poly(alkylphosphinoboranes)
Angew. Chem. **2015**, *127*, 13986-13991.
Angew. Chem. Int. Ed. **2015**, *54*, 13782-13786.
267. M. Fleischmann, F. Dielmann, L. J. Gregoriades, E. V. Peresyphkina, A. V. Virovets, S. Huber, A. Y. Timoshkin, G. Balazs, M. Scheer
Redox and Coordination Behavior of the Hexaphosphabenzene Ligand in [(Cp*Mo)₂(μ,η⁶:η⁶-P₆)] Towards the "Naked" Cations Cu⁺, Ag⁺, and Tl⁺
Angew. Chem. **2015**, *127*, 13303-13308
Angew. Chem. Int. Ed. **2015**, *54*, 13110-13115.
268. C. Schwarzmaier, S. Heindl, G. Balazs, M. Scheer
E₄ Butterfly Complexes (E=P, As) as Chelating Ligands
Angew. Chem. **2015**, *127*, 13309-13314
Angew. Chem. Int. Ed. **2015**, *54*, 13116-13121.

269. C. Marquardt, O. Hegen, M. Hautmann, G. Balázs, M. Bodensteiner, A. V. Virovets, A. Y. Timoshkin, M. Scheer
Isolation and Characterization of Lewis Base Stabilized Monomeric Parent Stibanylboranes
Angew. Chem. **2015**, *127*, 13315–13318
Angew. Chem. Int. Ed. **2015**, *54*, 13122–13125.
270. S. Heintl, E. Peresyphkina, J. Sutter, M. Scheer
Giant Spherical Cluster with *I*-C₁₄₀ Fullerene Topology
Angew. Chem. **2015**, *127*, 13631–13635
Angew. Chem. Int. Ed. **2015**, *54*, 13431–13435.
271. C. Heindl, E. V. Peresyphkina, A. V. Virovets, W. Kremer, M. Scheer
Giant Rugby Ball [(Cp^{Bn}Fe(η⁵-P₅))₂₄Cu₉₆Br₉₆] Derived from Pentaphosphaferrocene and CuBr₂
J. Am. Chem. Soc. **2015**, *137*, 10938–10941.
272. M. Fleischmann, S. Welsch, E. V. Peresyphkina, A. V. Virovets, M. Scheer
Highly Dynamic Coordination Behavior of P_n Ligand Complexes towards "Naked" Cu⁺ Cations
Chem. Eur. J. **2015**, *21*, 14332–14336.
273. F. Albrecht, J. Repp, M. Fleischmann, M. Scheer, M. Ondracek, P. Jelinek
Probing Charges on the Atomic Scale by Means of Atomic Microscopy
Physical Review Letters **2015**, *115*, 076101.
274. M. Fleischmann, F. Dielmann, L. J. Gregoriades, E. V. Peresyphkina, A. V. Virovets, S. Huber, A. Y. Timoshkin, G. Balázs, M. Scheer
Redox and Coordination Behavior of the Hexaphosphabenzene Ligand in [(Cp*Mo)₂(μ,η⁶:η⁶-P₆)] Towards the "Naked" Cations Cu⁺, Ag⁺ and Tl⁺
Angew. Chem. **2015**, *127*, 13303–13308; *Angew. Chem. Int. Ed.* **2015**, *54*, 13110–13115.
275. C. Schwarzmaier, S. Heintl, G. Balázs, M. Scheer
E₄-Butterfly Complexes (E = P, As) as chelating ligands
Angew. Chem. **2015**, *127*, 13309–13314.
Angew. Chem. Int. Ed. **2015**, *54*, 13116–13121.
276. M. Fleischmann, S. Welsch, E. V. Peresyphkina, A. V. Virovets, M. Scheer
Highly Dynamic Coordination Behavior of P_n ligand complexes towards "naked" Cu⁺ cations
Chem. Eur. J. **2015**, 14332–14336.
277. C. Marquardt, T. Jurca, K.-Ch. Schwan, A. Stauber, A. V. Virovets, A. Y. Timoshkin, G. R. Whittell, I. Manners, M. Scheer
Addition Polymerization of Transient Phosphinoboranes RPH-BH₂: A Route to Poly(alkylphosphinoboranes)
Angew. Chem. **2015**, *127*, 13986–13991. *Angew. Chem. Int. Ed.* **2015**, *54*, 13782–13786.
278. B. M. Gardner, G. Balázs, M. Scheer, A. J. Wooles, F. Tuna, E. J. L. McInnes, J. McMaster, W. Lewis, A. J. Blake, S. T. Liddle
Isolation of elusive HAsAsH in a crystalline diuranium(IV) complex
Angew. Chem. **2015**, *127*, 15465–15469. *Angew. Chem. Int. Ed.* **2015**, *54*, 15250–15254.

279. S. Heintl, G. Balázs, M. Bodensteiner, M. Scheer
Synthesis and Characterization of Manganese Triple-Decker Complexes
Dalton Trans. **2016**, *45*, 1962-1966.
280. M. Seidl, G. Balázs, A. Y. Timoshkin, M. Scheer
Stepwise formation of a 1,3 butadiene analog of mixed heavier group 15 elements
Angew. Chem. **2016**, *128*, 442–446. *Angew. Chem. Int. Ed.* **2016**, *55*, 431–435.
281. C. Heindl, S. Reisinger, C. Schwarzmaier, L. Rummel, A. V. Virovets, E. V. Peresykina, M. Scheer
First Coordination Polymers Based on 1,3-Diphosphaferrocenes and 1,1',2,3',4-Pentaphosphaferrocenes
Eur. J. Inorg. Chem. **2016**, 743–753.
282. N. Arleth, M. T. Gamer, R. Köppe, M. Fleischmann, M. Scheer, P. W. Roesky
Molecular Polyarsenides of the Rare-Earth Elements
Angew. Chem. **2016**, *128*, 1583–1586. *Angew. Chem. Int. Ed.* **2016**, *55*, 1557-1560.
283. M. Fleischmann, L. Dütsch, M. Elsayed Moussa, G. Balász, W. Kremer, C. Lescop, M. Scheer
Self-assembly of reactive linear Cu₃ building blocks for supramolecular coordination chemistry and their reactivity towards E_n ligand complexes
Inorg. Chem. **2016**, *55*, 2840–2854.
284. C. Heindl, E. V. Peresykina, A. V. Virovets, M. Scheer
Progress in Polyarsolyl Chemistry
Chem. Eur. J. **2016**, *22*, 1944–1048.
285. F. Spitzer, Ch. Grassl, G. Balázs, E. M. Zolnhofer, K. Meyer, M. Scheer
Influence of the nacnac ligand in Fe(I)-mediated P₄ transformations – A comparative study
Angew. Chem. **2016**, *128*, 4412-4416. *Angew. Chem. Int. Ed.* **2016**, *55*, 4340-4344.
286. C. Heindl, E. V. Peresykina, D. Lüdeker, G. Brunklaus, A. V. Virovets, M. Scheer
A *cyclo*-P₆ Ligand Complex for the Formation of Planar 2D Layers
Chem. Eur. J. **2016**, 2599–2604.